Pelsan



BRIEF CATALOGUE 2019

www.pelsan.com.tr

Pelsan Aydınlatma A.Ş. which was founded in Istanbul 37 years ago, is biggest manufacturer in the lighting industry in Turkey by its production, export and employment figures.

5 millions of lighting fixtures are manufactured every year and exported to 65 countries by 450 employees at Pelsan own plants with indoor area of 30.000 m^2. Optical, thermal, mechanical and electrical designs are performed within Pelsan by the R&D department running with strong engineer staff. Again all lighting products are certified with the Lighting Laboratory that has been established internally and registered upon accreditation by Turkish Accreditation Institution.

Main product groups of Pelsan Aydınlatma, offering venue specific project design and lighting design with total saving approach, are Interior Lighting, Exterior Lighting, Industrial Lighting, Equipment and Lamps.

- 30.000m² Manufacturing Zone
- 250m² R&D Center
- Loading and Unloading ramp for 10 trucks
- 1.000m² Showroom
- 500m² Accredited Laboratory

Pelsan

8	R.M. Backlight Office Luminaires	
9	S.M. Backlight Office Luminaires	
10	R.M./S.M. Backlight Office Luminaires	
11	Innovative Office Luminaires	
12	R.M. Backlight Office Luminaires	
13	LED Panel Luminaires	
14	Sterile Luminaires	
15	Conventional Luminaires	
16	Linear Luminaires	
17	Smart Luminaires	
18	Architectural Luminaires	
20	Pendant Luminaires	
21	LED Track Spot Luminaires	

Visit our website **www.pelsan.com.tr** for updated product informations and quality documents.

22	Recessed Mounted Backlight LED Downlight	
24	Recessed Mounted LED Downlight Lumina.	
25	Slim LED Downlight	
26	Surface Mounted Luminaires	
27	IP66 Ceiling	
28	LED Ceiling Luminaires	
30	Sensor	
32	Sensor Luminaires	
33	Batten Luminaires	
36	Waterproof Luminaires	
37	Aluminium Waterproof Luminaires	
39	Emergency Lighting Luminaires	
42	School Type Luminaires	

Visit our website **www.pelsan.com.tr** for updated product informations and quality documents.

Pelsan

43	Highbay Luminaires	
45	Highbay Luminaires	
46	Canopy Luminaires	
47	Ex-Proof Luminaires	
48	LED Floodlights	
51	Floodlights	
52	Floodlights	
53	Wallwashers	
54	LED Road & Street Luminaires	
55	LED Road & Street Luminaires	
56	LED Road & Street Luminaires	
57	Road & Street Luminaires	
58	Park and Garden Luminaires	

Visit our website **www.pelsan.com.tr** for updated product informations and quality documents.

60	Park and Garden Luminaires
62	Park and Garden Luminaires
64	Led Grass Luminaires
65	LED Grass Luminaires
66	Grass Luminaires
67	Appliques
68	Outdoor Appliques
69	Lamps
73	LED Strips and Neon LED
73	Ballasts and Kit
74	Components
77	Group Socket
80	Switches and Sockets



Pelsan Backlight Office Luminaires

Poz No 742-1100

Isoled

Dekoled

+125 lm/W Efficiency

ENEC Certificated Driver

LM80-TM21 LM79 Reports

R.M | S.M | P.C. | Clip-in

Isoled 60x60
Recessed Mounted

IP 40 3000K 4000K 6500K

Performance* Series: +125 lm/W

Code No	Specifications		Pcs/Pack	Code No	Specifications			Pcs/Pack
108417	28W 60x60 R.M.	ENEC	5	108420	28W 60x60 R.M.	Performance*	ENEC	5
105659	33W 60x60 R.M.	ENEC	5	108471	33W 60x60 R.M.	Performance*	ENEC	5
105679	42W 60x60 R.M.	ENEC	5	108470	42W 60x60 R.M.	Performance*	ENEC	5

Isoled 30x30
Recessed Mounted

IP 40 3000K 4000K 6500K



Code No	Specifications		Pcs/Pack
106163	12W 30x30 R.M.	ENEC	5

Isoled 30x60
Recessed Mounted

IP 40 3000K 4000K 6500K



Code No	Specifications		Pcs/Pack
106171	17W 30x60 R.M.	ENEC	4

Isoled 30x60 & 30x120
Recessed Mounted

IP 40 3000K 4000K 6500K



Code No	Specifications		Pcs/Pack
108950	33W 30x120 S.A.	ENEC	4
108951	84W 60x120 S.A.	ENEC	2

Clipled 30x30
Clip-in

New Product

IP 40 4000K 6500K



Code No	Specifications	Pcs/Pack
108085	20W 30x30 Clip-in	20

Options

Code No	Specifications	Pcs/Pack
316611	Emergency Lighting Kit (3 Hours)	1
313527	Spring for Plaster Ceiling (4 Pcs)	1

Specifications	Pcs/Pack
Triac Dim	1
1-10V Dim	1
DALI Dim	1

Surface Mounted Backlight Office Luminaires

Dekoled 60x60
Surface Mounted

IP 40 3000K 4000K 6500K

Performance* Series: +125 lm/W

55mm

Code No	Specifications		Pcs/Pack
108423	28W 60x60 S.M.	**ENEC**	5
108303	33W 60x60 S.M.	**ENEC**	5
108478	42W 60x60 S.M.	**ENEC**	5

Code No	Specifications			Pcs/Pack
108425	28W 60x60 S.M.	**Performance***	**ENEC**	5
108480	33W 60x60 S.M.	**Performance***	**ENEC**	5
108479	42W 60x60 S.M.	**Performance***	**ENEC**	5

Dekoled 30x30
Surface Mounted

IP 40 3000K 4000K 6500K

55mm

Code No	Specifications		Pcs/Pack
108392	12W 30x30 S.M.	**ENEC**	5

Dekoled 30x60
Surface Mounted

IP 40 3000K 4000K 6500K

55mm

Code No	Specifications		Pcs/Pack
108302	17W 30x60 S.M.	**ENEC**	4

Dekoled 30x120
Surface Mounted

IP 40 3000K 4000K 6500K

55mm

Code No	Specifications		Pcs/Pack
108952	33W 30x120 S.M.	**ENEC**	4

Dekoled 60x120
Surface Mounted

IP 40 3000K 4000K 6500K

55mm

Code No	Specifications		Pcs/Pack
108953	84W 60x120 S.M.	**ENEC**	2

Dekoled 60x60
Surface Mounted

New Product

Sensor

Emergency

IP 40 3000K 4000K 6500K

55mm

Code No	Specifications		Pcs/Pack
108786	33W 60x60 S.M.	**Microwave Sensor**	5
108785	33W 60x60 S.M.	**Mic. Sensor + Emer. Light. Kit**	5

Dekoled 30x30
Surface Mounted

New Product

Sensor

Emergency

IP 40 3000K 4000K 6500K

55mm

Code No	Specifications		Pcs/Pack
108780	12W 30x30 S.M.	**Microwave Sensor**	5
109086	12W 30x30 S.M.	**Mic. Sensor + Emer. Light. Kit**	5

Pelsan Recessed and Surface Mounted Backlight Office Luminaire

Seoled4 60x60
Recessed Mounted & Clip-in 30W

New Product



IP 40 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
109234	33W 60x60 S.M.	4
109235	33W 60x60 Clip-in	4

Seoled4 60x60
Surface Mounted 30W

New Product

IP 40 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
109236	33W 60x60 S.M.	4

Seoled3 60x60
Recessed Mounted & Clip-in 30W

IP 40 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
106725	33W 60x60 S.M	4
106731	33W 60x60 Clip-in	4

Seoled3 60x60
Surface Mounted 30W

IP 40 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
106728	33W 60x60 S.M.	4

Seoled2 60x60
Recessed Mounted & Clip-in 30W

IP 40 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
106713	33W 60x60 S.M.	4
106719	33W 60x60 Clip-in	4

Seoled2 60x60
Surface Mounted 30W

IP 40 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
106716	33W 60x60 S.M.	4

Seoled1 60x60
Recessed Mounted & Clip-in

IP 40 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
106697	33W 60x60 S.M.	4
106707	30W 60x60 Clip-in.	4

Seoled1 60x60
Surface Mounted

IP 40 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
106703	33W 60x60 S.M.	4

Options

Code No	Specifications	Pcs/Pack
316611	Emergency Lighting Kit (3 Hours)	1
313527	Spring for Plaster Ceiling (4pcs)	1

Innovotice Backlight Office Luminaires

Pelsan

Divaled
Recessed Mounted

New Product

Soft Version of Light!

Direct and Indirect Lighting

Divaled provides a soft lighting thanks to the direct light emitted from its opal diffuser and indirect light reflected from its special reflector.

Special Glare Control

Increases optic comfort in offices, banks, hospitals, conferance halls and lobies.

Aesthetic Design

Provides an aesthetic appearence with its decorative design and minimal outline.

Easy & Fast Insallation

Functional design provides easy electrical installation ability.



IP 20 ● 3000K ○ 4000K ○ 6500K

Code No	Specifications	Pcs/Pack
108408	42W 60x60 R.M.	4

Isoled Ambiance
Recessed Mounted

Different Coronas at Different Angles!

Anti-glare special diffuser

Efficiency over 100 lm/W

DALI, 1-10V DIM and emergency lighting kit options

Clip-in ceiling option

ENEC Certificated driver





Isoled Ambiance, provides diffirent coronas from different angles whith special diffuser.

IP 40 ● 3000K ○ 4000K ○ 6500K

Code No	Specifications	Pcs/Pack
108958	12W 30x30 R.M. Ambiance	5
108959	17W 30x60 R.M. Ambiance	4
108960	33W 60x60 R.M. Ambiance	5
108962	42W 60x60 R.M. Ambiance	5
108963	42W 30x120 R.M. Ambiance	4

Pelsan Recessed Mounted Backlight Office Luminaires

Effica

The sensor is able to adjust its own light according to daylight and detech movement in the view angle.

More Energy Saving!

Daylight and Motion Sensor

Daylight Sensor

Surface Mounted

Round Diffuser

130 lm/W Efficacy

ENEC Certified Driver



IP 20 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108988	35W 60x60 R.M.	1

Retto

UGR<19

More Visual Comfort!

33W

100 lm/W Efficacy

ENEC Certified Driver

IP 40 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
109075	33W 60x60 R.M.	1

Slim LED Panel Office Luminaires

Mioled 60x60
Recessed Mounted 36-54W



IP 40

Code No	Specifications	Pcs/Pack
106071	36W 60x60 3000K **Recessed Mounted**	5
106072	36W 60x60 4000K **Recessed Mounted**	5
106073	36W 60x60 6500K **Recessed Mounted**	5
106089	36W 60x60 3000K **Clip-in**	5
106090	36W 60x60 4000K **Clip-in**	5
106093	36W 60x60 6500K **Clip-in**	5
107968	**54W** 60x60 4000K **Recessed Mounted**	5
107969	**54W** 60x60 6500K **Recessed Mounted**	5

Mioled 30x30
Recessed Mounted 20W

IP40

Code No	Specifications	Pcs/Pack
108089	20W 30x30 3000K **Recessed Mounted**	10
108023	20W 30x30 4000K **Recessed Mounted**	10
108024	20W 30x30 6500K **Recessed Mounted**	10
108104	20W 30x30 3000K **Clip-in**	10
108029	20W 30x30 4000K **Clip-in**	10
108030	20W 30x30 6500K **Clip-in**	10

Mioled 60x60
Recessed Mounted 36W

110 lm/W



IP 40

Code No	Specifications	Pcs/Pack
108114	36W 60x60 4000K 110 lm/W	5
108115	36W 60x60 6500K 110 lm/W	5

Mioled 30x60
Recessed Mounted 30W

IP 40

Code No	Specifications	Pcs/Pack
108087	30W 30x60 3000K	5
108025	30W 30x60 4000K	5
108026	30W 30x60 6500K	5

Mioled 30x120
Recessed Mounted 40W

IP 40

Code No	Specifications	Pcs/Pack
108088	40W 30x120 3000K	5
108027	40W 30x120 4000K	5
108028	40W 30x120 6500K	5

Surface Mounted Frame
Mono

New Product



IP 40

Code No	Specifications	Pcs/Pack
315382	60x60 Slim Panel Surface Mounted Frame	5
315898	30x30 Slim Panel Surface Mounted Frame	5

Surface Mounted Frame
Duo

IP 40

Code No	Specifications	Pcs/Pack
311266	60x60 Slim Panel Surface Mounted Frame	5
311267	30x30 Slim Panel Surface Mounted Frame	5
311268	30x60 Slim Panel Surface Mounted Frame	5
311269	30x120 Slim Panel Surface Mounted Frame	5

Clip-in Frame

New Product



IP 40

Code No	Specifications	Pcs/Pack
316484	60x60 Slim Panel Clip-in Frame	5
316582	30x30 Slim Panel Clip-in Frame	5

Options

Code No	Specifications	Pcs/Pack
316611	Panel Emergecy Lighting Unit (fits all types of panel) (3 Hours)	1
313524	Suspension Set (4Pcs)	1
313526	Plaster Ceiling Set (4Pcs)	1

Specifications	
Triac Dim	1
1-10V Dim	1
DALI Dim	1

Pelsan Sterile Environment & Hospital Luminaires

IP65 LED Sterile Luminaire
Recessed Mounted Sandblasted Glass



IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
106198	33W 60x60 R.M. IP65 Sterile	4
108286	42W 60x60 R.M. IP65 Sterile	4

IP65 LED Sterile Luminaire
Surface Mounted Sandblasted Glass



IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
106057	33W 60x60 S.M. IP65 Sterile	4
108285	42W 60x60 S.M. IP65 Sterile	4

IP65 Sterile Luminaire
Recessed Mounted Sandblasted Glass



IP 65

Code No	Specifications		Pcs/Pack
100743	2x18W TLD	Elect. Bal. R.M.	4
100752	4x18W TLD	Elect. Bal. R.M.	3
100765	2x36W TLD	Elect. Bal. R.M.	3
101364	2x18W TLD	Elect. Bal. R.M.	4
101324	4x18W TLD	Elect. Bal. R.M.	3
101373	2x36W TLD	Elect. Bal. R.M.	3

IP65 Sterile Luminaire
Surface Mounted Sandblasted Glass



IP 65

Code No	Specifications		Pcs/Pack
100706	2x18W TLD	Elect. Bal. S.M.	4
100714	4x18W TLD	Elect. Bal. S.M	4
100722	2x36W TLD	Elect. Bal. S.M	4
100993	2x18W TLD	Elect. Bal. S.M	4
101003	4x18W TLD	Elect. Bal. S.M	4
101016	2x36W TLD	Elect. Bal. S.M	4

IP65 Mioled
Recessed Mounted 60x60

New Product

IP 65 6500K

Code No	Specifications	Pcs/Pack
108152	40W 60x60 R.M. 6500K IP65	5

Negatoskop



IP 40 4000K 6500K

Code No	Specifications	Pcs/Pack
106101	42W LED 60x60 S.M.	1
106103	84W LED 60x120 S.M.	1

Recessed Moun. & Surface Moun. Office Lumunaires

7 Lamel Double Parabolic
Recessed Mounted

Code No	Specifications	Pcs/Pack
101148	2x18W TLD Elec. Bal. R.M.	4
101176	4x18W TLD Elec. Bal. R.M.	4
101217	2x36W TLD Elec. Bal. R.M.	4

Dekolamp
Surface Mounted

Code No	Specifications	Pcs/Pack
101843	2x18W TLD Elec. Bal. S.M.	6
101881	4x18W TLD Elec. Bal. S.M.	6
101922	2x36W TLD Elec. Bal. S.M.	4

Prismatic Lens-Opal Lens
Recessed Mounted

Code No	Specifications	Lens	Pcs/Pack
100566	2x18W TLD Elec. Bal. R.M.	Prismatic	4
100583	4x18W TLD Elec. Bal. R.M.	Prismatic	4
100602	2x36W TLD Elec. Bal. R.M.	Prismatic	4
101586	2x18W TLD Elec. Bal. R.M.	Opal	4
101597	4x18W TLD Elec. Bal. R.M.	Opal	4
101612	2x36W TLD Elec. Bal. R.M.	Opal	4

Dekolamp Prismatic-Opal Lens
Surface Mounted

Code No	Specifications	Lens	Pcs/Pack
101045	2x18W TLD Elec. Bal. S.M.	Prismatic	6
101057	4x18W TLD Elec. Bal. S.M.	Prismatic	6
101076	2x36W TLD Elec. Bal. S.M.	Prismatic	4
101970	2x18W TLD Elec. Bal. S.M.	Opal	6
101981	4x18W TLD Elec. Bal. S.M.	Opal	6
101994	2x36W TLD Elec. Bal. S.M.	Opal	4

Indirect 1 Perforated
Recessed Mounted

Code No	Specifications	Pcs/Pack
108378	3x24W T5 Elec. Bal. R.M.	3
102121	2x24W T5 Elec. Bal. R.M.	3

Dekolamp Indirect Perforated
Surface Mounted

Code No	Specifications	Pcs/Pack
102297	2x24W T5 Elec. Bal. S.M.	3
102300	3x24W T5 Elec. Bal. S.M.	3

Isolamp T5
Recessed Mounted

Code No	Specifications	Pcs/Pack
100891	2x14W T5 Elec. Bal. R.M.	6
100896	3x14W T5 Elec. Bal. R.M.	6
100908	4x14W T5 Elec. Bal. R.M.	6
100963	2x28W T5 Elec. Bal. R.M.	4
101701	4x14W T5 Elec. Clip-in	6

Dekolamp1 T5
Surface Mounted

Code No	Specifications	Pcs/Pack
101467	2x14W T5 Elec. Bal. S.M.	6
101480	4x14W T5 Elec. Bal. S.M.	6
101498	2x28W T5 Elec. Bal. S.M.	4

Pelsan Linear Luminaires

Eterna

Endless Linear Connection

Endles linear connection with external connection aparatus without opening the product.

Mounting Type



RAL 9005
RAL 9006
RAL 9016



- +50.000 hours lifetime
- Emergency Lighting
- DALI Options

Eterna (57mm)
Surface Mounted

New Product

IP 20 ● 3000K ○ 4000K ○ 6500K

Code No	Specifications		Pcs/Pack
108964	14W	600mm	1
108965	20W	900mm	1
108966	28W	1200mm	1
108967	42W	1500mm	1

Eterna (57mm)
Recessed Mounted

New Product

IP 20 ● 3000K ○ 4000K ○ 6500K

Code No	Specifications		⊡ mm	Pcs/Pack
108898	14W	630mm	610X62	1
108899	20W	920mm	890X62	1
108900	28W	1230mm	1210X62	1
108901	42W	1510mm	1490X62	1

Options

Code No	Specifications	Pcs/Pack
304906	Suspention set 100 cm (2 Pcs)	1
304915	Suspention set 150 cm (2 Pcs)	1
316957	Decarative Hanging set 150 cm (2 Pcs)	1
205224	Linear Connection Aparatus set (2 Pcs)	1

Smart Luminaires

Pelsan

Brilla

UGR<19

The sensor is able to adjust its own light according to daylight and detech movement in the view angle.

More Energy Saving for Your Offices!

- ENEC Certified Driver
- 130 lm/W Efficacy
- Daylight and Motion Sensor



IP 20 ● 3000K ○ 4000K ○ 6500K

Code No	Specifications		Pcs/Pack
109026	28W	1200mm	1

Vista

UGR<19

The sensor is able to adjust its own light according to daylight and detech movement in the view angle.

More Energy Saving for High Ceilings!

- ENEC Certified Driver
- Up to 125 lm/W Efficacy
- Daylight and Motion Sensor



IP 40 ● 3000K ○ 4000K ○ 6500K

Code No	Specifications		Pcs/Pack
109011	60W	1500mm	1

Esta

Approved by Ball Test Standard

- ENEC Certified Driver

- 130 lm/W Efficacy
- IK10 UDE 0710-13 (Ball Test)



IP 20 ● 3000K ○ 4000K ○ 6500K

Code No	Specifications	Pcs/Pack
109035	100W1200mm	1

RAL 9005 RAL 9006 RAL 9016



Circa

IP 40 3000K 4000K 6500K

Code No	Specifications			Pcs/Pack
105796	45W	600mm	RAL 9006	1
108201	65W	900mm	RAL 9006	1
108202	100W	1200mm	RAL 9006	1
109139	90W	1500mm	RAL 9006	1
317028	Circa-Polaris Pendant Rozans 1 Single		RAL 9006	1
316738	Circa-Polaris Pendant Rozans 3 Triple		RAL 9006	1



Polaris

IP 40 3000K 4000K 6500K

Code No	Specifications			Pcs/Pack
105807	40W	400mm	RAL 9006	1
105814	60W	600mm	RAL 9006	1
105818	70W	900mm	RAL 9006	1
109140	120W	1200mm	RAL 9006	1
317028	Circa-Polaris Pendant Rozans 1 Single		RAL 9006	1
316738	Circa-Polaris Pendant Rozans 3 Triple		RAL 9006	1





Quad

IP 40 3000K 4000K 6500K

Code No	Specifications			Pcs/Pack
108513	20W	400x400mm	RAL 9006	1
106298	75W	600x600mm	RAL 9006	1
106307	100W	900x900mm	RAL 9006	1
317383	Quad - Detra Pendant Rozans	1 Single	RAL 9006	1
317148	Quad Pendant Rozans	3 Triple	RAL 9006	1

Detra

New Product

IP 40 3000K 4000K 6500K

Code No	Specifications			Pcs/Pack
109149	100W	600x1200mm	RAL 9006	1







Twist

New Product

IP 40 3000K 4000K 6500K

Code No	Specifications			Pcs/Pack
109130	45W	1500mm	RAL 9006	1

Tria

New Product

IP 40 3000K 4000K 6500K

Code No	Specifications			Pcs/Pack
109141	130W	1300x1500mm		1

Pelsan Decorative Pendant Luminaires

Volga
104235 / 106638

Simi
108972

Pico
103782

Rodos
103777

Avsha
103774

Sana
104278

Tuna
104284

IP 20 ⏚ 3000K 4000K 6500K

Code No	Specifications		Pcs/Pack
106638	**Volga**	50W LED 4000K Silver	6
104235	**Volga**	E27 Silver	6
103774	**Avsha**	E27 Grey	4
103782	**Pico**	E27 Black	4

Code No	Specifications		Pcs/Pack
103777	**Rodos**	E27 Gold Oxide	4
108972	**Simi**	E27 White	4
104282	**Sana**	E27 Q44	4
104278	**Tuna**	E27 Q33	4

LED Track Spot Luminaires

Mila
Monophase

- Alüminyum reflektör ve lensli yapısı ile ışığı maksimum odaklar
- CRI>80 ile daha canlı renkler
- Işığı yönlendiren tasarım(270° / 360°)



IP 40

Code No	Specifications	Pcs/Pack
109068	30W COB LED 3000K EU Components	12
109069	30W COB LED 4000K EU Components	12

IP 40

Code No	Specifications	Pcs/Pack
108008	40W COB LED 3000K	12
108009	40W COB LED 4000K	12

Seta
Monophase

IP 40

Code No	Specifications	Pcs/Pack
107907	30W COB LED 3000K	12
107910	30W COB LED 4000K	12

Theta
Monophase

IP 40

Code No	Specifications	Pcs/Pack
107982	30W COB LED 3000K	16
107981	30W COB LED 4000K	16

Lampda
Monophase

IP 40

Code No	Specifications	Pcs/Pack
108010	30W COB LED 3000K	24
108011	30W COB LED 4000K	24

Monophase Track and Accessories

I Connection

T Connection

L Connection

Black Monophase Track and Accessories

Code No	Specifications	Pcs/Pack
303845	Monophase Track Black 1m	1
303846	Monophase Track Black 2m	1
303847	Monophase Track Black 3m	1
303848	L Connection Black	1
303849	T Connection Black	1
316066	X Connection Black	1
303835	I Connection Black	1
316067	End Cap Black	1

White Monophase Track and Accessories

Code No	Specifications	Pcs/Pack
303839	Monophase Track White 1m	1
303840	Monophase Track White 2m	1
303841	Monophase Track White 3m	1
303842	L Connection White	1
303843	T Connection White	1
316068	X Connection White	1
303844	I Connection White	1
316069	End Cap White	1

Pelsan Recessed Mounted Backlight LED Downlight Luminaires



There is always a Tira suitable to your place!

- +50.000 hours lifetime
- DALI Dim options
- Black and White Frame

3 Different Body Options



Tira Ø Flat Diffuser

IP 40 ⏚ ●3000K ○4000K ○6500K

Code No	Specifications	Ø mm	Pcs/Pack
107086	10W	185	15
107088	15W	185	15
107090	20W	185	15
107092	20W	220	10
107095	25W	220	10
107097	35W	220	10

Tira Ø Aluminium

IP 40 ⏚ ●3000K ○4000K ○6500K

Code No	Specifications	Ø mm	Pcs/Pack
109158	12W	185	15
109163	24W	185	15
109165	36W	185	15

Tira Ø Aluminium

IP 40 ⏚ ●3000K ○4000K ○6500K

Code No	Specifications	Ø mm	Pcs/Pack
109159	12W	185	15
109164	24W	185	15
109166	36W	185	15

Tira IP54



Øxhmm	
7W	148x56,5
10W	148x56,5
15W	197x56,5
20W	197x56,5
25W	240x56,5
35W	240x56,5

IP 54 ⏚ ●3000K ○4000K ○6500K

Code No	Specifications	Ø mm	Pcs/Pack
107081	25W	220	10
107084	35W	220	10

Code No	Specifications	Ø mm	Pcs/Pack
107075	15W	185	15
107078	20W	185	15

Code No	Specifications	Ø mm	Pcs/Pack
107069	7W	132	20
107072	10W	132	20

Options

Code No	Specifications	Pcs/Pack
316611	Emergency Lighting Kit (3 Hours)	1

Backlight LED Downlight Luminaires

Tira Ø Black



Øxhmm	
7W	148x56,5
10W	148x56,5
15W	197x56,5
20W	197x56,5
25W	233x56,5
35W	233x56,5

IP 40 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Ø mm	Pcs/Pack
108969	20W	220	10
107048	25W	220	10
107049	35W	220	10

Code No	Specifications	Ø mm	Pcs/Pack
108633	10W	185	15
108139	15W	185	15
107046	20W	185	15

Code No	Specifications	Ø mm	Pcs/Pack
108968	5W	132	20
107044	7W	132	20
107879	10W	132	20

Tira Ø Black



axbxhmm	
7W	148x148x56,5
10W	148x148x56,5
15W	197x197x56,5
20W	197x197x56,5
25W	233x233x56,5
35W	233x233x56,5

IP 40 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Ø mm	Pcs/Pack
107062	20W	220	10
107064	25W	220	10
107066	35W	220	10

Code No	Specifications	Ø mm	Pcs/Pack
107056	10W	185	15
107058	15W	185	15
107060	20W	185	15

Code No	Specifications	Ø mm	Pcs/Pack
107050	5W	132	20
107052	7W	132	20
107054	10W	132	20

Tira Ø White



Øxhmm	
7W	148x56,5
10W	148x56,5
15W	197x56,5
20W	197x56,5
25W	233x56,5
35W	233x56,5

IP 40 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Ø mm	Pcs/Pack
106969	20W	220	10
106977	25W	220	10
106985	35W	220	10

Code No	Specifications	Ø mm	Pcs/Pack
106943	10W	185	15
106950	15W	185	15
106961	20W	185	15

Code No	Specifications	Ø mm	Pcs/Pack
106928	5W	132	20
106934	7W	132	20
106937	10W	132	20

Tira Ø White



axbxhmm	
7W	148x148x56,5
10W	148x148x56,5
15W	197x197x56,5
20W	197x197x56,5
25W	233x233x56,5
35W	233x233x56,5

IP 40 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Ø mm	Pcs/Pack
107018	20W	220	10
107021	25W	220	10
107025	35W	220	10

Code No	Specifications	Ø mm	Pcs/Pack
107003	10W	185	15
107006	15W	185	15
107012	20W	185	15

Code No	Specifications	Ø mm	Pcs/Pack
106991	5W	132	20
106994	7W	132	20
106997	10W	132	20

Pelsan Recessed Mounted Backlight LED Downlight Luminaires

Rita

Body Type
Aluminium + Polymer Injection

With Integrated driver
Easy Assembly



High Lumen Output

Anti-Glare Diffuser

Backlight Downlight With Affarolable

Rita 6W

New Product



IP 40

Code No	Specifications		mm	Pcs/Pack
108266	6W	4000K	85	100
108256	6W	6500K	85	100

Rita 9W

New Product



IP 40

Code No	Specifications		mm	Pcs/Pack
108268	9W	4000K	100	100
108267	9W	6500K	100	100

Rita 12W

New Product



IP 40

Code No	Specifications		mm	Pcs/Pack
108270	12W	4000K	125	50
108269	12W	6500K	125	50

Rita 18W

New Product



IP 40

Code No	Specifications		mm	Pcs/Pack
108272	18W	4000K	155	30
108271	18W	6500K	155	30

Slim LED Downlight Luminaires

Sirma 3W

IP 40

Code No	Specifications	⌀ mm	Pcs/Pack
107891	3W 3000K	75	60
107892	3W 4000K	75	60
107893	3W 6500K	75	60

Sirma 6W

IP 40

Code No	Specifications	⌀ mm	Pcs/Pack
107918	6W 3000K	105	30
107919	6W 4000K	105	30
107920	6W 6500K	105	30

Sirma 15W

New Product

IP 40

Code No	Specifications	▱ mm	Pcs/Pack
108325	15W 6500K	170x170	30

Sirma 9W

IP 40

Code No	Specifications	⌀ mm	Pcs/Pack
107921	9W 3000K	130	30
107922	9W 4000K	130	30
107923	9W 6500K	130	30

Sirma 12W

IP 40

Code No	Specifications	⌀ mm	Pcs/Pack
107924	12W 3000K	155	30
106427	12W 4000K	155	30
106428	12W 6500K	155	30

Sirma 18W

New Product

IP 40

Code No	Specifications	▱ mm	Pcs/Pack
108328	18W 6500K	200x200	30

Sirma 15W

IP 40

Code No	Specifications	⌀ mm	Pcs/Pack
106431	15W 3000K	175	30
106430	15W 4000K	175	30
106432	15W 6500K	175	30

Sirma 18W

IP 40

Code No	Specifications	⌀ mm	Pcs/Pack
107925	18W 3000K	205	30
106433	18W 4000K	205	30
106434	18W 6500K	205	30

Sirma 24W

New Product

IP 40

Code No	Specifications	▱ mm	Pcs/Pack
108327	24W 6500K	275x275	20

Sirma 24W

IP 40

Code No	Specifications	⌀ mm	Pcs/Pack
107926	24W 3000K	280	20
106442	24W 4000K	280	20
106443	24W 6500K	280	20

Emergency Lighting Kit

IP 40

Code No	Specifications	Pcs/Pack
316611	Slim Down. Emer. Ligh. Kit (3 hours)	1

Triac Dim

Driver Options

IP 40

Code No	Specifications	Pcs/Pack
313211	Triac DIM Dri.(For 12W Slim Do.)	1
313212	Triac DIM Dri.(For 15W Slim Do.)	1
313213	Triac DIM Dri.(For 18W Slim Do.)	1

Pelsan Surface Mounted LED Downlight Luminaires

Mira

New Product

	Øxhmm
3W	90x50
6W	120x50
9W	150x50
12W	180x50



RAL 9005
Color Option

IP 40

Code No	Specifications	Pcs/Pack
109117	3W 4000K	24
109118	3W 6500K	24
109119	6W 4000K	24
109120	6W 6500K	24
109123	12W 4000K	24
109124	12W 6500K	24

Risa

New Product

	Øxhmm
3W	90x85
6W	120x93
9W	150x100
12W	180x130



RAL 9005
Color Option

IP 40

Code No	Specifications	Pcs/Pack
109107	3W 4000K	24
109108	3W 6500K	24
109109	6W 4000K	20
109110	6W 6500K	20
109113	12W 4000K	16
109114	12W 6500K	16

Sirma 18W



IP 40

Code No	Specifications	Pcs/Pack
107999	18W 4000K	20
108000	18W 6500K	20

Sirma 18W

New Product



IP 40

Code No	Specifications	Pcs/Pack
107997	18W 4000K	20
107998	18W 6500K	20

Sirma 24W



IP 40

Code No	Specifications	Pcs/Pack
108131	24W 4000K	20
108132	24W 6500K	20

Sirma 24W

New Product



IP 40

Code No	Specifications	Pcs/Pack
108312	24W 4000K	20
108310	24W 6500K	20

Options

Code No	Specifications	Pcs/Pack
European Origin Emergeny Lighting Kit		1

Sirma 36W

New Product



IP 40

Code No	Specifications	Pcs/Pack
108151	36W 6500K	6

IP66 Ceiling Luminaires

Havana IP66 Round

Water and Dust Proof

- Pelsan Havana ceiling luminaire is harsh environ metal conditions.
- High resistance to impacts. Unbreakable
- Options: E27, LED,LED microwave sensor, LED emergency lighting kit.
- Stainless screw and UV reinforced opal diffuser.

Havana Ø

Emergency
Sensor

322mm
95mm

IP 66 ⏚ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
105092	E27	8
105124	2xE27	8
105101	15W	8
105118	15W Sensor	8
105109	15W Emerg.Light.Kit	8
109048	15W Sens.Emerg.Light.Kit	8

Havana Ø

Emergency
Sensor

322mm
95mm

IP 66 ⏚ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
105090	E27	8
105122	2xE27	8
105098	15W	8
105115	15W Sensor	8
105106	15W Emerg.Light.Kit	8
109047	15W Sens.Emerg.Light.Kit	8

Havana Ø

Emergency
Sensor

322mm
95mm

IP 66 ⏚ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
105091	E27	8
105123	2xE27	8
105104	15W	8
105121	15W Sensor	8
105112	15W Emerg.Light.Kit	8
109049	15W Sens.Emerg.Light.Kit	8

Havana Çift Işık Ø
Grey/Red

322mm
95mm

IP 66 ⏚

Code No	Specifications	Pcs/Pack
105093	E27	8
108464	2xE27	8

Havana Çift Işık Ø
Grey/Orange

322mm
95mm

IP 66 ⏚

Code No	Specifications	Pcs/Pack
105095	E27	8
108466	2xE27	8

Havana Çift Işık Ø
Grey/Blue

322mm
95mm

IP 66 ⏚

Code No	Specifications	Pcs/Pack
105094	E27	8
108465	2xE27	8

Pelsan LED Ceiling Luminaires

Punto

Sensor



IP 40 4000K 6500K

Code No	Specifications		Pcs/Pack
107945	24W Round		10
108772	24W Round	Microwave Sensor	10

Picto



IP 40 4000K 6500K

Code No	Specifications	Pcs/Pack
107960	24W Round	10

Punto

Sensor

IP 40 4000K 6500K

Code No	Specifications		Pcs/Pack
107948	24W Square		10
108773	24W Square	Microwave Sensor	10

Picto



IP 40 4000K 6500K

Code No	Specifications	Pcs/Pack
107963	24W Square	10

Punto Dynamic White



IP 40

Code No	Specifications		Pcs/Pack
107946	2x24W Round	Dynamic White	10

Picto Dynamic White



IP 40

Code No	Specifications		Pcs/Pack
107961	2x24W Round	Dynamic White	10

Punto Dynamic White

IP 40

Code No	Specifications		Pcs/Pack
107949	2x24W Square	Dynamic White	10

Picto Dynamic White



IP40

Code No	Specifications		Pcs/Pack
107964	2x24W Square	Dynamic White	10

Pelsan LED Ceiling Luminaires

- 350 mm
- 250 mm
- E27
- 24 W
- 16 W
- Aluminium Injection Body
- 2x24 W Dyn. White
- IP44

Pio 35cm



IP 40 4000K 6500K

Code No	Specifications	Pcs/Pack	Price
107951	24W	10	**25,00 $**
107952	2x24W Dynamic White	10	**46,20 $**

IP44 Oval Grill
Aluminium Injection



IP 44 4000K 6500K

Code No	Specifications	Pcs/Pack	Price
204487	Oval Grill 21 Grey E27	18	**8,20 $**

Pio 25cm



IP 40 4000K 6500K

Code No	Specifications	Pcs/Pack	Price
105395	16W	10	**13,75 $**

Pio 35X35cm



IP 40 4000K 6500K

Code No	Specifications	Pcs/Pack	Price
107954	24W	10	**25,00 $**
107956	2x24W Dynamic White	10	**46,20 $**

Opal 35cm + 35X35cm

105388 105389



IP 40 4000K 6500K

Code No	Specifications	Pcs/Pack	Price
105388	23W Round	16	**24,50 $**
105389	23W Square	16	**24,50 $**

Pio 25X25cm



IP 40 4000K 6500K

Code No	Specifications	Pcs/Pack	Price
105393	16W	10	**13,75 $**

Pelsan Sensors

360° Motion Sensor



3 eye sensor technology makes detection in every direction.

IP 20

Code No	Specifications	Pcs/Pack
314720	360 Motion Sensor	50

180° Motion Sensor



IP 20

Code No	Specifications	Pcs/Pack
314717	180 Motion Sensor	50

Mini Motion Sensor



Provides a practical solution for sensors that do not fit in the application area.

IP 20

Code No	Specifications	Pcs/Pack
314732	Mini Motion Sensor	100

Microwave Sensor



Sensitive detection behind drywalls and glass.

IP 20

Code No	Specifications	Pcs/Pack
314725	Microwave Sensor	100

Recessed Ceiling Sensor



It provides easy installation for plasterboard ceilings with adjustable time , lux and distance features.

IP 20

Code No	Specifications	Pcs/Pack
314726	Recessed Ceiling Sensor	50

Motion Sensor With Lampholder

New Product



Zaman ve Lux ayarlama özelliği ile sıva üstü uygulamalar için ideal çözüm

IP 20

Code No	Specifications	Pcs/Pack
109227	E27 Duylu Sensör	50

IP65 Sensor Box

Protects indoor IP20 sensors from rain and dust

IP 65

Code No	Specifications	Pcs/Pack
314735	IP65 Sensor Box	50

Photocell



It makes sensitive light and dark perception for outdoors.

IP 54

Code No	Specifications	Pcs/Pack
314738	Photocell	100

Presence Sensor



It detects the presence of persons and run the light as long as they are in the environment.

IP 20

Code No	Specifications	Pcs/Pack
314733	Presence Sensor	50

Four Way Motion Sensor



Precise detection at blind spots

IP 20

Code No	Specifications	Pcs/Pack
314729	Four Way motion Sensor	100

Applique With Sensor IP54

Mova

New Product



IP 54

Code No	Specifications	Pcs/Pack
109228	10W Applique White Sensor	12

High Ceiling Sensor (Max. 15m)



Lux , distance and time adjustment can be done.

IP 20

Code No	Specifications	Pcs/Pack
314730	High Ceiling Sensor	50

Motion Sensor Lamp Holder



Provides control of lamp with E27 lampholder.

IP 20

Code No	Specifications	Pcs/Pack
314722	Motion Sensor Lamp Holder	50

Integrated Sensor Dimming LED Driver (15W-27W)

IP 20

Code No	Specifications	Pcs/Pack
314737	With Radar Sensor Dim Driver 27W (30-45V /DC 600 mA)	50
314736	With Radar Sensor Dim Driver 15W (30-51V /DC 300 mA)	50

Integrated Sensor Dimming LED Driver(15W)

Automatic switching and dimming based on motion and light level.



Daylight Sensor

Functions in the ambient light less than 5 lux

Dimmed light (20% optional) and selectable lux value (< 5lux

10 minute hold time

Pelsan Luminaires with Sensor

Sense

Light is on Just in Time!

- Can be adjusted to how long the lamp will light with the "time" button and to how far away will detect the motion with the "sens" button.
- High sensitivity PIR sensor with day and night setting.
- Maximum mounting height 4.5m



Sense Emergency Sensor

Sensor
Emergency
Base



IP 20

Code No	Specifications	Pcs/Pack
104367	2xE27 Sensor + Emergency	10

Senseled Sensor

Sensor
LED



IP 20 4000K 6500K

Code No	Specifications	Pcs/Pack
104364	6W LED Sensor	10

Senseled Emergency Sensor

Sensor
Emergency
LED



IP 20 4000K 6500K

Code No	Specifications	Pcs/Pack
104369	8W LED Sensor + Emergency	10

Sense & Sense Sensor

Sensor
Base



IP 20

Code No	Specifications	Pcs/Pack
104357	2xE27	10
104359	2xE27 Sensor	10

IP66 Havana
Microwave Sensor + Emergency Kit

Sensor
Emergency
LED



IP 66 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
105115	15W LED Microwave Sensor	8
105106	15W LED Emergency	8
105127	15W LED Microwave Sensor+ Emergency	8

Punto
Microwave Sensor

Sensor
LED



IP 40 4000K 6500K

Code No	Specifications	Pcs/Pack
108773	24W LED Square Microwave Sensor	10
108772	24W LED Round Microwave Sensor	10

Linear Luminaires



Special Design That Gives Motion to the Light

Multiline LED Linear Luminaires

Mobile system that enables light to be transmitted to the desired direction in stores, supermarkets, offices and stores . It provides directable linear lighting thanks to its modern industrial design.

- Directs the light to the desire spot
- Provides continuous linear light
- 7 steps beam angle light level from 15°to 115°

Multiline LED Linear Luminaires



Provides Continuous Linear Light

Provides uninterrupted light with side covers and connection clips designed for linear connection



Easy Installation

You can easily and safely mount a 2-piece Multiline LED linear luminaire

- ENEC certificated driver
- 110 lm / W
- Matt Grey anodised aluminium body
- Glare-proof special diffuser
- Pendant and surface mounted application

Options

- Emergecy lighting unit (1-3 hours)
- DALI 1-10V Dim
- 120cm / 150cm options
- 3000K-4000K-6500K
- Frosted and clear diffuser options

IP 40 ⏚ 3000K 4000K 6500K

Code No	Specifications		Pcs/Pack
105381	35W 120cm	Opal Diffuser	4
105383	35W 150cm	Opal Diffuser	4
105385	50W 150cm	Opal Diffuser	4

Continiously Linear Connection

Code No	Specifications		Pcs/Pack
108508	35W 120cm	Opal Diffuser	4
108509	35W 150cm	Opal Diffuser	4
108416	50W 150cm	Opal Diffuser	4

Pelsan Batten Luminaires

Clear LED

IP 40

Code No	Specifications	Pcs/Pack
105713	36W LED 6500K 120cm	10
102381	1x18W T8 Elec. Bal.	10
102392	2x18W T8 Elec. Bal.	10
102403	1x36W T8 Elec. Bal.	10
102417	2x36W T8 Elec. Bal.	10

Plex





IP 40

Code No	Specifications	Pcs/Pack
102513	2x18W T8 Elec. Bal.	1
102521	2x36W T8 Elec. Bal.	1

Linea Large LED



IP 40

Code No	Specifications	Pcs/Pack
107932	18W 4000K 60cm	20
107933	18W 6500K 60cm	20
107938	36W 4000K 120cm	20
107939	36W 6500K 120cm	20

Linea LED

Continuous Light

Switch

Accessories are included in the :
Power cable , 15 cm. flexible connection, Mini connection accessory , ground mounting clips, end cap

IP 40

Code No	Specifications	Pcs/Pack
204672	4W 6500K 30cm	30
204673	8W 6500K 60cm	30
204671	16W 6500K 120 cm	30
306960	Plug Cable	150

Metal Bat. With IP54 Lampholder
Suitable for LED Tubes

New Product

IP 54

Code No	Specifications	Pcs/Pack
108833	Single 60cm	6
108835	Single 120cm	6
108837	Single 150cm	6

IP 54

Code No	Specifications	Pcs/Pack
108834	Double 60cm	6
108836	Double 120cm	6
108838	Double 150cm	6

Metal Bat. With IP20 Lampholder
Suitable for LED Tubes

IP 20

Code No	Specifications	Pcs/Pack
100371	TMS Single 60cm	12
100372	TMS Single 120cm	12
109245	TMS Double 60cm	6
106374	TMS Double 120cm	6

Fiberglass Bat. with IP65 Lampholder
Suitable for LED Tubes

IP 65

Code No	Specifications	Pcs/Pack
103200	Polyester Single 120cm	12
103261	Polyester Single 150cm	12
103210	Polyester Double 120cm	6
103268	Polyester Double 150cm	6

T8 Metal Bat. with IP65 Lampholder

IP 20

Code No	Specifications		Pcs/Pack
103223	1x18W	T8 Metal Batten With Lampholder	6
103242	2x18W	T8 Metal Batten With Lampholder	6
103233	1x36W	T8 Metal Batten With Lampholder	6
103252	2x36W	T8 Metal Batten With Lampholder	6
103284	1x58W	T8 Metal Batten With Lampholder	6
103275	2x58W	T8 Metal Batten With Lampholder	6

T8 Fiberglass Bat. with IP65 Lampholder

IP 65

Code No	Specifications		Pcs/Pack
103204	1x36W	T8 Fiberglass Bat. Elec. Bal.	6
103214	2x36W	T8 Fiberglass Bat. Elec. Bal.	6
103264	1x58W	T8 Fiberglass Bat. Elec. Bal.	6
103269	2x58W	T8 Fiberglass Bat. Elec. Bal.	6

TMS
T8 Fluorescent

IP 20

Code No	Specifications	Pcs/Pack
100223	1x18W TMS T8 Fluorescent Elec. Bal.	6
100236	2x18W TMS T8 Fluorescent Elec. Bal.	6
100215	1x15W TMS T8 Fluorescent Elec. Bal.	6
100246	1x30W TMS T8 Fluorescent Elec. Bal.	6
100260	1x36W TMS T8 Fluorescent Elec. Bal.	6
100277	2x36W TMS T8 Fluorescent Elec. Bal.	6
100357	1x58W TMS T8 Fluorescent Elec. Bal.	6
100364	2x58W TMS T8 Fluorescent Elec. Bal.	6

T5 Market Luminaire



IP 20

Code No	Specifications	Pcs/Pack
105335	1x28W Elec. Bal. TL5	1
105339	2x28W Elec. Bal. TL5	1
105342	1x35W Elec. Bal. TL5	1
105344	2x35W Elec. Bal. TL5	1
105348	1x54W Elec. Bal. TL5	1
105353	2x54W Elec. Bal. TL5	1
105331	T8 Market Lum. 1x18W 120 cm	5
105332	T8 Market Lum. 1x24W 150 cm	5

Pelsan Waterproof Luminaires

Forza

- Easy Installation
- 2x18W LED Tube Included
- 120 cm
- 36W LED Module

Easy and Fast Installation

With its functional unlatched design. Forza is easy and fast to install into surface and cable trays without intervention.

Optional Linear Connection

Suitable for linear connection with the terminal covers on the both side.

Forza LED

New Product

110mm
71mm

IP 65

Code No	Specifications	Pcs/Pack
108118	36W 4000K 120cm LED	6
108119	36W 6500K 120cm LED	6
108883	36W 4000K 120cm Emergency Lighting Kit	6
109017	36W 6500K 120cm Emergency Lighting Kit	6

Forza LED Tube

New Product

* 1 Pcs included emergency LED tube.
** 2 Pcs included corridor function LED tube.

110mm
71mm

IP 65

Code No	Specifications	Pcs/Pack
108120	2x18W 4000K 120cm LED Tube Integrated	6
108407	2x18W 6500K 120cm LED Tube Integrated	6
108798	2x18W 6500K 120cm LED Tube Integrated Emergency Kit	6
109101	2x18W 6500K 120cm LED Tube Integrated Corridor Function**	6

Waterproof Luminaires

Pelsan

Largo

IK08

GRP Body

IP65

Largo LED

IP 65

Code No	Specifications	Pcs/Pack
105722	20W 6500K 120cm	6
105719	36W 6500K 120cm	6
105721	36W 6500K 120cm Emergency Lighting Kit	6
108519	45W 6500K 150cm	6

Largo LED



IP 65 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
109150	20W 60cm	6
109151	36W 120cm	6
109153	42W 150cm	6
109065	36W 120cm **Dimming Function**	6
109066	36W 120cm **Dimming Function** Emergency Lighting Kit	6

Largo LED Tube
Single Clear Glass

IP 65 ● Emergecy lighting kit is available (9-18W)

Code No	Specifications	Pcs/Pack
102669	LED Tube Single 60cm	6
102713	LED Tube Single 120cm	6
102867	LED Tube Single 150cm	6
102687	LED Tube Double 60cm	6
102744	LED Tube Double 120cm	6
102878	LED Tube Double 150cm	6
313117	9-18W LED Tube Convertor Kit	1

Largo T8
Fluorescent



IP 65

Code No	Specifications	Pcs/Pack
102677	Largo 1x18W Elec. Bal. TLD	6
102724	Largo 1x36W Elec. Bal. TLD	6
102872	Largo 1x58W Elec. Bal. TLD	6
102697	Largo 2x18W Elec. Bal. TLD	6
102761	Largo 2x36W Elec. Bal. TLD	6
102883	Largo 2x58W Elec. Bal. TLD	6

Largo LED Frozen
Until -40°C

● 3000K ● 4000K ● 6500K

IP 65 ● Suitable for use in cold storage and frozen products warehouse

Code No	Specifications	Pcs/Pack
105871	21W 60cm (-25°C)	6
105884	42W 120cm (-40°C)	6
105894	63W 150cm (-40°C)	6

Mar
LED Tube



IP 65

Code No	Specifications	Pcs/Pack
108801	LED Tube Triple 60cm	4
108800	LED Tube Triple 120cm	4
102577	LED Tube Triple 150cm	4
108802	LED Tube Quadruple 60cm	4
102574	LED Tube Quadruple 120cm	4
102579	LED Tube Quadruple 150cm	4

Pelsan Waterproof Luminaires

Solida

Aluminium Body

5 years warranty

IP65

85mm

73mm

IP 65 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
105599	23W 60cm	6
105603	35W 90cm	6
105606	45W 120cm	6
105609	65W 120cm	6

Prota



Aluminium Body

IP65

66mm

87mm

IP 65 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
109145	20W 60cm	6
109147	27W 90cm	6
109148	35W 120cm	6

Inovaled IP66

Aluminium Body

Angle Adjustable IP66 Waterproof

IP66

Adjustable Angle

75mm

70mm

● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
105597	21W 60 cm	6
105593	42W 120 cm	6
105585	45W 150 cm	6
311186	Mounting Aparatus for Adjustable Angle (x2)	6

Emergency Lighting Luminaires

2x10W Emergency Spot

Emergency Situations Under Pelsan Protection

- Long Life SMD LED
- 180° Adjustable Head
- Portable Desing
- Charge Indicator
- On / Off Switch

Electrical and control Rooms

Stairs

Generator Rooms

Infirmaries

2x10W LED
6 Hours Disc. Time



IP 40

Code No	Specifications	Pcs/Pack
203907	2x10W LED 6 Hour	8

2x5W LED
4 Hours Disc. Time



IP 40

Code No	Specifications	Pcs/Pack
203913	2x5W LED 4 Hour	8

2x3W LED
6 Hours Disc. Time



IP 40

Code No	Specifications	Pcs/Pack
203911	2x3W LED 6 Hour	10

LED Lantern
8 Hours Disc. Time

axbxcmm
30W 203x55x29
60W 342x55x29
90W 482x55x29



IP 40

Code No	Specifications	Pcs/Pack
204619	30 LED Lantern	40
204620	40-60 LED Lantern	24
204623	90 LED Lantern	20

24 LED Emergency

Sticker Included



IP 20

Code No	Specifications	Pcs/Pack
203905	24 LED Emergency	20

Ufo Emergency Lighting Spot (2 Pcs)



IP 20

Code No	Specifications	Pcs/Pack
204463	3W 3000K (2 Pcs)	20

Pelsan Emergency Exit Luminaires

200 kinds of label option !

- 200 kinds of label option is valid for **200511, 200541, 200379, 200205** codes.
- Please inform your choice of label with product code

R.M Exiled Exit
With Label Option

With Label Option



IP 20

Code No	Specifications	Pcs/Pack
200511	Recessed Mounted One Side Exiled	10
200545	Recessed Mounted Double Side Exiled	10

Exiled Exit
With Label Option

With Label Option



IP 20

Code No	Specifications	Pcs/Pack
200379	One Side Exiled	10
200205	Double Side Exiled	10

On Side
Exiled

fixed label



IP 20

Code No	Specifications	Pcs/Pack
203891	On Side 3W 3 Hour	10

Double Side
Exiled

fixed label



IP 20

Code No	Specifications	Pcs/Pack
203885	Double Side 3W 3 Hour	10

Double Side
Exiled

fixed label



IP 20

Code No	Specifications	Pcs/Pack
203890	Double Side 3W 3 Hour	10

Double Side
Exiled

fixed label



IP 20

Code No	Specifications	Pcs/Pack
203888	Double Side 3W 3 Hour	10

Double Side
Exiled

fixed label



IP 20

Code No	Specifications	Pcs/Pack
203889	Double Side 3W 3 Hour	10

Double Side
Exiled

fixed label



IP 20

Code No	Specifications	Pcs/Pack
203887	Double Side 3W 3 Hour	10

Emergency Lighting Luminaires



Recessed / Surfaced Mounting Options

Charge Indicator

Four Different Routing Label

Ausled IP65 Emergency
AC/DC

New Product

4 different routing labels are included in the

Ausled recessed mounted application



IP 65 ⏚ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108390	5W 6500K Surface Mounted	12
315895	Recessed Spring (Double)	1

Vialed

Recessed

Mafsallı

Pendant

Charge Indicator

Different Label Option

Long Life Ni-Cd Battery



IP 40 ⏚

Code No	Specifications	Pcs/Pack
201064	Recessed Mounted One Side 3W	1
201110	Recessed Mounted Double Side 3W	1
200944	One Side Exit 3W White Bracket	1
201013	Double Side Exit 3W With Bracket	1
201136	One Side Pendant 3W	1
201165	Double Side Pendant 3W	1

Pelsan School Type Luminaires

Clear

IP 40

Code No	Specifications	Pcs/Pack
105713	Clear LED 36W 6500K 120 CM	1
102381	T1 Clear 1x18W 6500K T8 Lum. Elec. Bal.	1
102392	T1 Clear 2x18W 6500K T8 Lum. Elec. Bal.	1
102403	T1 Clear 1x36W 6500K T8 Lum. Elec. Bal.	1
102417	T1 Clear 2x36W 6500K T8 Lum. Elec. Bal.	1

Plex

Code No	Specifications	Pcs/Pack
102513	Opal 2x18W Elec. Bal. TLD	1
102521	Opal 2x36W Elec. Bal. TLD	1

Linea Large LED



IP 40

Code No	Specifications	Pcs/Pack
107932	18W 4000K 60cm	20
107933	18W 6500K 60cm	20
107938	36W 4000K 120cm	20
107939	36W 6500K 120cm	20

Linea LED

Continuous Light



Accessories are included in the .
Power cable , 15 cm. flexible connection, Mini connection accessory , ground mounting clips,end cap.

IP 40

Code No	Specifications	Pcs/Pack
204672	4W 6500K 30cm	30
204673	8W 6500K 60cm	30
204671	16W 6500K 117,3cm	30
306960	Plug Cable	150

Etna LED
IP65 Highbay Luminaires

New Product

150lm/W Efficacy, 5 Years Warranty!

- ENEC Certificated
- +70.000
- 150 lm/W Efficacy
- Aluminium Body
- Different Optics
- IP65 Dust and Waterproof



IP 65 4000K 6500K

Busbar Application

Code No	Specifications		a (mm)	Pcs/Pack
108526	80W	**Narrow Beam Angle**	120cm	1
108524	100W	**Narrow Beam Angle**	120cm	1
108532	125W	**Narrow Beam Angle**	150cm	1
108534	140W	**Narrow Beam Angle**	150cm	1
108688	200W	**Narrow Beam Angle**	150cm	1
108527	80W	**Wide Beam Angle**	120cm	1
108525	100W	**Wide Beam Angle**	120cm	1
108533	125W	**Wide Beam Angle**	150cm	1
108535	140W	**Wide Beam Angle**	150cm	1
108690	200W	**Wide Beam Angle**	150cm	1

Hima LED
IP65 Highbay Luminaires

New Product

100lm/W Efficacy, Affordable !

- ENEC Certificated
- 50.000 Hours Lifetime
- 100 lm/W Efficacy
- Aluminium Body
- IP65 Dust and Waterproof

Integrated Highbay Sensor Application



IP 65 4000K 6500K

Code No	Specifications	a (mm)	Pcs/Pack
108225	75W	120cm	1
108372	75W Sensor	120cm	1
108373	75W Sensor Kit	120cm	1
108672	100W	120cm	1
108674	125W	150cm	1

Pelsan Highbay Luminaires

New Product

Süphan
IP65 Highbay Luminaires

- GRP Body
- Tempered Glass
- 2x54W / 2x80W Options



IP 65

Code No	Specifications		Pcs/Pack
109222	2x54W T5	1285mm	1
109223	2x80W T5	1595mm	1

Sia
IP65 LED Highbay Luminaires

120 lm/W

- Aluminium Injection Body
- Tempered Glass
- ENEC Certificated



IP 65 4000K 6500K

Code No	Specifications	Pcs/Pack
108589	75W	1
108600	100W	1
106634	125W	1
109221	150W	1

Castor
IP65 LED Highbay Luminaires

- Aluminium Injection Body
- Pendant Application With Chain
- 100 lm/W Efficacy



Øxhmm
100W 295x90
150W 345x95

IP 65

Code No	Specifications	Pcs/Pack
107995	100W 5700K	4
108122	150W 5700K	4

Karpat T5
IP65 Highbay Luminaires

Busbar Hanging Set

axbxcmm
2x54W:1210x190x82
4x54W:1210x345x82
2x80W:1510x190x82
4x80W:1510x345x82



IP 65

Code No	Specifications	Pcs/Pack
100778	2x54W T5	1
100790	4x54W T5	1
101262	2x80W T5	1
101282	4x80W T5	1

Oriza
IP65 Highbay Luminaires



IP 65

Code No	Specifications		Pcs/Pack
103457	2x54W T5	1285mm	1
103460	2x80W T5	1595mm	1

Mar
IP65 Highbay Luminaires



IP 65

Code No	Specifications	Pcs/Pack
108801	LED Tube Triple 60cm	4
108802	LED Tube Quadruple 60cm	4
108800	LED Tube Triple 120cm	4
102574	LED Tube Quadruple 120cm	4
102577	LED Tube Triple 150cm	4
102579	LED Tube Quadruple 150cm	4

Gediz
Highbay Luminaires

Øxaxbmm
E27 420x260x175
E40 500x322x143



IP 65/20

Code No	Specifications	Pcs/Pack
104128	Gediz Highbay Lum. Empty E27	10
104136	Gediz Highbay Lum. Empty E40	10
311067	Ø402mm Glass Gasket Clips	10
311144	Ø420mm Wire Cage	1

Fırat
Highbay Luminaires



IP 65/20

Code No	Specifications	Pcs/Pack
104142	Fırat 250W E40 MH/SB Poly. Highbay Lum.	4
104149	Fırat 400W E40 MH Poly. Highbay Lum.	4
104153	Fırat 400W E40 SB Poly. Highbay Lum.	4
311068	Diffuser (482x4mm) + Gasket and Latch	1
311145	400W Highbay Wire Cage	1

Options

Specifications	Pcs/Pack
Busbar Honging set, suitable for Etna, Hima, Karpat, Oriza, Highbay Luminaires	1

Pelsan Canopy Luminaires

ATEX Certified

- **Gas Explosion Proof: Zone 2**
  II 3G Ex nR IIC T5 Gc
- **Dust Explosion Proof : Zone 22**
  II 3D Ex tc IIIC (T95 C) Dc
- **Standards**
  EN 60079-0: 2012, EN 60079-15: 2010, EN 60079-31:2009
- **Certificate No**
  IEP 16 ATEX 0468
- **Zone Class**
  Zone 2
  Zone 22

Ex-Proof Luminaires can be safely used in potentially explosive environments where hazardous gas and dust are present.

Pelsan Ex-Proof Luminaires can be used safely in Chemical , paint and Coating Facilities, Petroleum Storage Facilities, Oilfilling and Discharging Facilities, Ports and Shipyards, Power Plants & Industrial Plants, Fueling Stations.

Piroliz Ex-Proof

IP66 LED Canopy Luminaire

- **Gas Explosion Protection:** II 3G Ex nR IIC T5 Gc
- **Dust Explosion Protection:** II 3D Ex tc IIIC (T95 C) Dc

Aluminium Injection



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
106578	Piroliz Ex 50W	1
106579	Piroliz Ex 75W	1
106580	Piroliz Ex 100W	1
106581	Piroliz Ex 125W	1
106582	Piroliz Ex 150W	1

Piroliz Waterproof

IP65 LED Canopy Luminaire

Aluminium Injection



IP 65 4000K 6500K

Code No	Specifications	Pcs/Pack
106583	75W	1
106584	100W	1
106585	125W	1

Okta Waterproof

IP65 LED Canopy Luminaire

Aluminium Injection



IP 65 4000K 6500K

Code No	Specifications	Pcs/Pack
106627	Okta LED 80W	1

Ex-Proof Luminaires

Pelsan

ATEX Certified Ex-Proof Waterproof

- **Gas Explosion Proof: Zone 2**
  II 3G Ex nR IIC T6 Gc
- **Dust ExplosionProof : Zone 22**
  II 3D Ex tc IIIC (T80 C) Dc

- **Standards**
  EN 60079-0: 2013, EN 60079-15: 2010, EN 60079-31:2014
- **Certificate No**
  IEP 16 ATEX 0597
- **Zone Class**
  Zone 2
  Zone 22

Ex-Proof Luminaires can be safely used in potentially explosive environments where hazardous gas and dust are present.

Pelsan Ex-Proof Luminaires can be used safely in Chemical, paint and Coating Facilities, Petroleum Storage Facilities, Oilfilling and Discharging Facilities, Ports and Shipyards, Power Plants & Industrial Plants, Fueling Stations.

LED Ex-Proof

New Product

Largo IP65 Waterproof Luminaires

IP 65 4000K 6500K

Code No	Specifications		Pcs/Pack
108458	Largo Ex 25W 60cm	Opal	1
108459	Largo Ex 45W 120cm	Opal	1

T8 Ex-Proof

New Product

Largo IP65 Waterproof Luminaires

IP 65

Code No	Specifications		Pcs/Pack
108297	Largo Ex 2x18W	Clear	1
108298	Largo Ex 2x36W	Clear	1

Ex-Proof Highbay Luminaire

Sia



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
106615	Sia Ex 50W	1
106616	Sia Ex 75W	1
106617	Sia Ex 100W	1
106618	Sia Ex 125W	1
106619	Sia Ex 150W	1

Ex-Proof Canopy Luminaire

Piroliz



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
106578	Piroliz Ex 50W	1
106579	Piroliz Ex 75W	1
106580	Piroliz Ex 100W	1
106581	Piroliz Ex 125W	1
106582	Piroliz Ex 150W	1

Ex-Proof Floodlight

Nairo



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
106498	Nairo Ex 50W	1
106499	Nairo Ex 75W	1
106500	Nairo Ex 100W	1
106501	Nairo Ex 125W	1
106502	Nairo Ex 150W	1

Ex-Proof Road and Street Lum.

New Product

Nairo





IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
108991	Nairo Ex 100W	1
108990	Nairo Ex 125W	1
108989	Nairo Ex 150W	1

Pelsan LED Floodlights

Ria LED

More Savings with Automatic Night Mode!

- 130lm/W Efficacy
- Symmetric / Asymmetic Light Distribution
- Wide Power Option Between 100W and 300W
- IK10 Aluminium Injection Body
- IP66 Dust and Waterproof
- -35/+50C WorkingTemperature

LM79
LM80
TM21



Ria IP66 Symmetric



For The Highest Poles

IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
107140	180W Symmetric	1
107141	200W Symmetric	1
107130	240W Symmetric	1
109218	300W Symmetric	1

Ria IP66 Asymmetric



For Facade Lighting

IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
107137	180W Asymmetric	1
107138	200W Asymmetric	1
107127	240W Asymmetric	1

Ria IP66 Symmetric



For Wide Areas...

★Night Mode Option

IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
109209	100W Symmetric	1
109210	125W Symmetric	1
109211	150W Symmetric	1

LED Floodlights

Pelsan

Ria MED

250W MH Eşdeğer Işık Çıktısı

- 50-120W
- Upto 150 lm/W Efficacy
- IP66 Dust and Waterproof



New Product

LM79
LM80
TM21

-30/+50°C
Working Temperature

Dust and Waterproof
IP66

+54.000 Hours Lifetime
Power LED Chip

@ Tc:70°C
100.000 Hours Lifetime

IK09, Uvreinforced
Diffuser

IK09 Aluminium Injection Body





IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
108560	50W	1
108562	80W	1
108564	100W	1
109220	120W	1

LED Floodlights

MAX LED IMUM POWER IMUM PERFORMANCE

- Aveilable For Pole Mounted
- No Wind Resistance With Help of Moduler Design
- Aluminium Body
- ENEC Certificated Driver
- Externel Power Unit

Maxled IP66

External Power Unit



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
107142	300W 6500K	1
107143	500W 6500K	1

Inovaled



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
105561	2x30W Amber	1
105575	3x30W Amber	1

Forino

106574

106598



IP 65 4000K 6500K

Code No	Specifications	Pcs/Pack
106574	59W 6500K	1
106568	103W 6500K	1

Nairo



IP 65 4000K 6500K

Code No	Specifications	Pcs/Pack
106504	75W 6500K	1
106505	100W 6500K	1
106518	125W 6500K	1

LED Floodlights

Franko 300W

Grill Application



IP 65

Code No	Specifications	Pcs/Pack
107116	300W 5000K	1
310865	300W Grill	1

Franko 400W

Grill Application



IP 65

Code No	Specifications	Pcs/Pack
107117	400W 5000K	1
310866	400W Grill	1

Franko 200W

Grill Application



IP 65

Code No	Specifications	Pcs/Pack
107112	200W 5000K	1
310864	200W Grill	1

Franko 250W

Wire Grill Application



IP 65

Code No	Specifications	Pcs/Pack
107115	250W 5000K	1
310865	250W Grill	1

Franko 100W

Grill Application



IP 65

Code No	Specifications	Pcs/Pack
107105	100W 4000K	4
107106	100W 6500K	4

Franko 150W

Grill Application



IP 65

Code No	Specifications	Pcs/Pack
107109	150W 5000K	2
310863	150W Grill	1

Franko 50-70W

6500K 4500K Amber Green

Grill Application





IP 65

Code No	Specifications	Pcs/Pack
107101	50W 4000K	6
107102	50W 6500K	6
108166	50W Amber	6
108167	50W Green	6
107103	70W 4000K	4
107104	70W 6500K	4

Franko 30W-Portable Tripod

Grill Application



IP 65

Code No	Specifications	Pcs/Pack
107100	30W 6500K	10
203948	Floodlight Tripot	4

Pelsan Floodlights

Olimpiad 1000W-400W
Symmetric Fiberglass

1000W



IP 65

Code No	Specifications	Pcs/Pack
105256	400W Metal MH	1
105137	1000W Metal, MH/SB	1

Yeno 250W-400W
Symmetric Fiberglass

TSE

400W



IP 65

Code No	Specifications	Pcs/Pack
105161	250W MH/SB HPI-T	1
105173	400W SB SON-T	2
105166	400W MH HPI-T	2

Elit Pesato 250W-400W
Asymmetric Injection



IP 65

Code No	Specifications	Pcs/Pack
105187	250W MH/SB HPI-T	1
105190	400W MH HPI-T	1
105196	400W SB SON-T	1

Tünel 250W-400W
Aluminium Injection



IP 65

Code No	Specifications	Pcs/Pack
104327	250W MH/SB E40	1
104329	400W SB E40	1

Elit Lirad 70W-150W
Symmetric Fiberglass



IP 65

Code No	Specifications	Pcs/Pack
104320	70W MH/SB MHN-TD	6
104323	150W MH/SB MHN-TD	6

Shekelo Projektör



IP 65

Code No	Specifications	Pcs/Pack
204165	Shekelo E40 Boş	1
105229	Shekelo 250W E40 MH/SB	1
105232	Shekelo 400W E40 MH/SB	1

Elit Semiad 70W-150W
Asymmetric Fiberglass



IP 65

Code No	Specifications	Pcs/Pack
104308	70W MH/SB MHN-TD	4
104311	150W MH/SB MHN-TD	4

Levoled
Aluminium Injection



IP 65

Code No	Specifications	Pcs/Pack
104300	70W Metal CDM-T	4
104301	150W Metal CDM-T	4
107758	Levoled 25W 6500K	4

Long Lifespan, Highly Efficient Wallwasher

Pelsan

- IP66 Dust and Waterproof
- IK08 Impact Resistance
- Non-Yellowing Diffuser
- Aluminium Body

Hava Ventilli Rakor ile Nem Yapmaz!

S.M. Wallwasher
IP66 Inovaled

ForProduct video

30 cm
15W

60 cm
30W

90 cm
45W

120 cm
45W



Color Options

IP 66

Code No	Specifications			Pcs/Pack
105509	15W 45+20°	6500K	300mm	1
105536	Double Module 30W (40+20°)	6500K	300mm	1
105518	30W 45+20°	6500K	600mm	1
105543	Double Module 60W (45+20°)	6500K	600mm	1

IP 66

Code No	Specifications			Pcs/Pack
105526	45W 45+20°	6500K	900mm	1
105550	Double Module 90W (45+20°)	6500K	900mm	1
108112	45W 45+20°	6500K	1200mm	1

Pelsan LED Road Luminaires

Doka

New Product

Maximum Performance for urban Lighting

Efficacy up to 150lm/W



- IK09 Aluminium Injection Body
- IP66 Dust and Waterproof
- ENEC Certificated @Tc - 70°C 100.000 Hours Lifetime
- +54.000 Hours Lifetime LED Chip

IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
108943	50W 4000K	1
108944	80W 4000K	1
108947	100W 4000K	1
109219	120W 4000K	1

Madrid

New Product

Affordoble and Efficient Lighting for Urban Areas

129 lm/W



- 129 lm/W Efficiency Factor
- 4290 lm 33W
- ENEC Certificated Driver
- +50.000 Hours System Lifetime

IP 65 4000K 6500K

Code No	Specifications	Pcs/Pack
108494	33W 4000K	1

LED Road Luminaires

Pelsan

Rio

- +120 lm/W
- LED Chip: L90 @105 °C 86.000 Hours Lifetime
- ENEC Certified LED Driver
- -40 / +50 °C Working Temperature
- 10 kV High Voltage Protection
- IK10 Aluminium Injection Body
- 5 Different Console Angles

★★Night Mode Option
★ 02:00'den Sonra Otomatik Dim

Rio IP66

45-150W



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
109212	45W	1
109214	65W	1
109169	80W	1
109171	100W	1
109173	125W	1
109175	150W	1

Rio IP66

140-220W



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
109181	140W	1
109183	180W	1
109185	200W	1
109187	220W	1

Rio IP66

240-300W



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
109194	240W	1
109196	270W	1
109198	300W	1

Pelsan LED Road Luminaires

Talin
30 - 50W



IP 65

Code No	Specifications	Pcs/Pack
107992	30W 4000K	15
107993	50W 4000K	10

Talin
100W



IP 65

Code No	Specifications	Pcs/Pack
107994	100W 4000K	4

Bari



IP 65

Code No	Specifications	Pcs/Pack
109204	100W 4000K	2

Tokyo

IP 65

Code No	Specifications	Pcs/Pack
106526	77W 4000K Tokyo	1
106531	103W 4000K Tokyo	1
106537	39W 4000K Tokyo Med	1
106543	59W 4000K Tokyo Med	1

Lima

IP 65

Code No	Specifications	Pcs/Pack
105957	103W 4000K	1
105961	154W 4000K	1
105967	180W 4000K	1

Seul

IP 65

Code No	Specifications	Pcs/Pack
105979	30W 4000K	10
104111	E27 Base	10

Road Luminaires

Roma
Polymer Injection

IP 66

Code No	Specifications	Pcs/Pack
104102	250W SB SON-T	1
104105	400W SB SON-T	1

Sofia
Polymer Injection

IP 65

Code No	Specifications	Pcs/Pack
104077	Sofia 100W Sodium SON-T	2
104081	Sofia 150W Sodium SON-T	2

Riga
Polymer Injection

IP 65

Code No	Specifications	Pcs/Pack
104062	Riga 50W Sodium SON-T	2
104064	Riga 70W Sodium SON-T	2

Lyon
Aluminium Injection

IP 65 / 43

Code No	Specifications	Pcs/Pack
103991	100W Sodium SON-T	1
103992	150W Sodium SON-T	1
103998	250W Sodium SON-T	1
104007	400W Sodium SON-T	1

Ibiza / Corfu
Fiberglass

IP 54 / 43

Code No	Specifications	axbxcxd mm	Pcs/Pack
103952	Empty E27	480x230x198x280	5
103958	70W Son-T	480x230x198x280	5
103823	250W Empty E40	778x368x328x450	1
103831	250W Sodium SON-T	778x368x328x450	1
103842	400W Sodium SON-T	778x368x328x450	1

Bakü / Parma
Tempered Glass Aluminium

IP 65 / 43

Code No	Specifications	axbxcxd mm	Pcs/Pack
103874	150W Sodium SON-T	625x315x245x340	1
103877	250W Sodium SON-T	625x315x245x340	1
103881	400W Sodium SON-T	625x315x245x340	1
103790	160W Empty E27	570x280x195x300	5
103796	150W Sodium SON-T	570x280x195x300	5

Consoles

Code No	Specifications	Pcs/Pack
311160	Pole type console 60cm	1
311157	Set-top console 60cm	1
311156	Wall type console 30cm	1
311151	Console 60cm	1

Code No	Specifications	Pcs/Pack
311155	Wall type console 60cm	1
311158	Console with bracelet	1
301125	Ø42 - Ø60 Console adaptor	1
310724	Bracelet	1

LED Park and Garden Luminaires

Mesaled

- 60W
- 5260 lm
- Aluminium Body
- Anti - Glare Specol Diffuser



Anti-glare special diffuser

- Special prismatic diffuser
- Anti-glare optical design
- High light tranmission

Recommended application height



Different RAL Code Application



Mesaled

IP 54 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108609	30W	1
108608	60W	1

LED Park and Garden Luminaires

Pelsan

Olimpos



Olimpos Series Combined With Leen Lines and Performance.



- ENEC Certificated Driver
- 100x100 mm Aluminium Body
- 117 lm/W
- IP65 Dust and Waterproof
- IK08 Impact Resistance







Olimpos

IP 65 3000K 4000K 6500K

Code No	Specifications			Pcs/Pack
108261	50W	4,5m	RAL9005	1
108499	50+25W	4,5m	RAL9005	1
108498	50+50W	4,5m	RAL9005	1
107509	50W	4,5m	RAL9005	1
108846	50+25W	4,5m	RAL9005	1
109009	50+50W	4,5m	RAL9005	1

Pelsan LED Park and Garden Pole Luminaires





Datça

IP 65

3000K
4000K
6500K

Code No	Specifications	Pcs/Pack
107619	150W G12	1
107601	30W LED	1
313768	RGB Controller	1



Evaled

IP 54

3000K
4000K
6500K

Code No	Specifications	Pcs/Pack
108610	40W LED	1
107520	E27	1



Arta

IP 54

Code No	Specifications	Pcs/Pack
107591	Arta Pole Luminaire E27	1

LED Park and Garden Pole Luminaires



Limra LED

IP 54

3000K
4000K
6500K

Code No	Specifications	Pcs/Pack
107416	150W E40	1
108606	38W LED 3 Module	1
108605	80W LED 5 Module	1



Patras LED

IP 65

3000K
4000K
6500K

Code No	Specifications	Pcs/Pack
107661	150W Rx7S	1
105989	68W LED	1



Samos LED

IP 65

3000K
4000K
6500K

Code No	Specifications	Pcs/Pack
108612	150W G12	1
108163	50W LED	1

LED Park and Garden Pole Luminaires



Alinda

IP65 3000K

Code No	Specifications	Pcs/Pack
107467	Alinda 35W	1



Milas

IP54 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108500	100W	1



Assos

IP54 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
107470	100W	1



Milet

IP65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108501	40W	1

LED Park and Garden Pole Luminaires

Pelsan



Antalya

IP 54

Code No	Specifications	Pcs/Pack
107531	Single Pole E27	1
107532	Double Pole E27	1



Ruso

IP 54

Code No	Specifications	Pcs/Pack
107461	Ruso Single Casting Base Pole E27	1
107463	Ruso Double Casting Base Pole E27	1



Perge

IP 54

Code No	Specifications	Pcs/Pack
107543	Double E27	1



Pedesa

IP 54

Code No	Specifications	Pcs/Pack
107533	1 Transparent Globe E27	1
107517	2 Transparent Globe E27	1
107530	3 Transparent Globe E27	1



Uruse

IP 54

Code No	Specifications	Pcs/Pack
107510	Tekli E27	1



Temi

IP 54

Code No	Specifications	Pcs/Pack
107519	Tekli E27	1

Pelsan New LED Grass Luminaires



Alcatra

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108856	18W	1

Dominik

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108866	2x18W	1

Tahiti

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108868	18W	1

Mikanos

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108869	2x18W	1

Bali

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108870	18W	1

Malta

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108871	2x18W	1

Maldiv

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108872	18W	1

Santorini

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108873	2x18W	1

New LED Grass Luminaires

Pega

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108878	18W 4000K	1

Alinda

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108859	18W 4000K	1

Luzon

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
109027	20W 4000K	1

Milas

IP 54 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
107580	E27 Duylu	1
107586	20W	1

Hawai

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108874	20W	1

Bahama

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108875	2x20W	1

Capri

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108876	20W	1

Phuket

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108877	2x20W	1

Pelsan Grass Luminaires



Antalya

IP 54

Code No	Specifications	Pcs/Pack
107588	E27 Base	1

Perge

IP 54

Code No	Specifications	Pcs/Pack
107585	E27 Base	1

Pedesa

IP 54

Code No	Specifications	Pcs/Pack
107564	E27 Base	1



Arta

IP 54

Code No	Specifications	Pcs/Pack
107565	E27 Base	1

Eva

IP 54

Code No	Specifications	Pcs/Pack
107560	E27 Base	1

Noa

IP 54

Code No	Specifications	Pcs/Pack
107578	E27 Base	1

Fia

IP 54

Code No	Specifications	Pcs/Pack
107557	E27 Base	1

Outdoor Appliques

Pelsan

Işılay 1

Aluminium Injection



IP 54

Code No	Specifications	Pcs/Pack
204505	E27 Base	18

Işılay 2

Aluminium Injection

IP 54

Code No	Specifications	Pcs/Pack
204506	2xE27 Base	12

Dora LED

Aluminium Injection



IP 54

Code No	Specifications	Pcs/Pack
204529	3W 4000K	24

Ruso

IP 54

Code No	Specifications	Pcs/Pack
107393	E27 Base	1

Arta



IP 54

Code No	Specifications	Pcs/Pack
107410	E27 Base	1

Eva

IP 54

Code No	Specifications	Pcs/Pack
107411	E27 Base	1

Uruse

IP 54

Code No	Specifications	Pcs/Pack
107395	E27 Base	1

Perge

IP 54

Code No	Specifications	Pcs/Pack
107391	E27 Base	1

Antalya

IP 54

Code No	Specifications	Pcs/Pack
107409	E27 Base	1

Pelsan Grass & Wall Top & Recessed Luminaires

Garden Spot
Erbaled





6500K
4500K
Amber
Green

IP 65 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108005	20W 6500K	10
204261	Grounding Spike 21cm	1

Wall Top
Cubo



IP 54

Code No	Specifications	Pcs/Pack
204423	E27	6

Wall Top
Eva



IP 54

Code No	Specifications	Pcs/Pack
107453	Eva Wall Top E27	1

Wall Top
Arta



IP 54

Code No	Specifications	Pcs/Pack
107447	Arta Wall Top E27	1

LED Recessed Floor Luminaire 20
15 LED



IP65

Code No	Specifications	Pcs/Pack
204283	15W Ø20 4000K	8

LED Recessed Floor Luminaire 15
9 LED



IP65

Code No	Specifications	Pcs/Pack
204282	9W ⊠15 4000K	12

Recessed Wall Applique
Dialed





IP54

Code No	Specifications	Pcs/Pack
204442	14 LED 4000K	24

Recessed Wall Applique
Leraled S



IP54

Code No	Specifications	Pcs/Pack
204443	14 LED 4000K	40

LED Lamps

Pelsan

LED Globe Lamps 9W



Code No	Specifications	Pcs/Pack
313411	9W 2700K E27 Ø60	100
313415	9W 6400K E27 Ø60	100

LED Globe Lamps 7W



Code No	Specifications	Pcs/Pack
313406	7W 2700K E27 Ø60	100
313407	7W 6400K E27 Ø60	100

LED Globe Lamps 5W



Code No	Specifications	Pcs/Pack
315105	5W 2700K E27 Ø45	100
315106	5W 6400K E27 Ø45	100

Candle LED Lamp (E14-E27)



Code No	Specifications	Pcs/Pack
313395	4W 2700K E14	100
313397	4W 6500K E14	100
313396	4W 6500K E27	100

Dimmable LED Lamp



Code No	Specifications	Pcs/Pack
313426	10W 6500K E27	50

Chargeable LED Lamp

Code No	Specifications	Pcs/Pack
315107	9W 6500K E27	50

30W LED Lamps



Code No	Specifications	Pcs/Pack
313420	30W 6500K E27	20

40W LED Lamps



Code No	Specifications	Pcs/Pack
313421	40W 6500K E27	20

Candle Filament Lamp

Code No	Specifications	Pcs/Pack
313437	4W Candle Filament Lamp E27 3000K	100
313439	4W Candle Filament Lamp E27 6500K	100
313445	4W Candle Filament Lamp E14 3000K	100
313446	4W Candle Filament Lamp E14 6500K	100

Curved Candle Filament Lamp



Code No	Specifications	Pcs/Pack
313436	4W Curved Candle Filament Lamp E14 3000K	100
313435	4W Curved Candle Filament Lamp E14 6500K	100

Filament Lamp (Ø60)



Code No	Specifications	Pcs/Pack
313438	4W Filament Lamp E27 3000K	100
313444	4W Filament Lamp E27 6500K	100

Filament Lamp (Ø95)

Code No	Specifications	Pcs/Pack
313441	6W Filament E27 3000K	20

Filament Lamp (Ø125)

Code No	Specifications	Pcs/Pack
313442	6W Filament E27 3000K	20

Filament Lamp (Ø64)



Code No	Specifications	Pcs/Pack
313440	6W Filament E27 3000K	40

LED Lamps

Pelsan

LED Tube

LED Tube
Glass Body

Tek Taraftan Bağlantı

Code No	Specifications			Pcs/Pack
314663	9W	4000K	60cm	25
314664	9W	6500K	60cm	25
314666	18W	4000K	120cm	25
314665	18W	6500K	120cm	25
314669	22W	4000K	150cm	25
314668	22W	6500K	150cm	25

130lm/W Pro
Glass Body LED Tube

Tek Taraftan Bağlantı

Code No	Specifications			Pcs/Pack
314671	24W Pro	6500K	150cm	25

Coridor Function
ABS Body LED Tube

New Product

Çift Taraftan Bağlantı

Code No	Specifications			Pcs/Pack
315114	18W Sensor	6500K	120cm	25

Coridor Function
Glass Body LED Tube

New Product

Tek Taraftan Bağlantı

Code No	Specifications			Pcs/Pack
315115	18W Coridor Function	6500K	120cm	25

Emergency Kit (1.5 Hour)
Glass Body LED Tube

New Product

Çift Taraftan Bağlantı

Code No	Specifications			Pcs/Pack
315116	18W Emergency	6500K	120cm	25

Plant Grow
LED Tube

New Product

Tek Taraftan Bağlantı

Code No	Specifications			Pcs/Pack
315113	18 W Full Spectrum			25

Pelsan Lamps

Sodium Lamps



Code No	Specifications	Pcs/Pack
313504	50 2000K E27	25
313505	70W 2000K E27	25
313506	100W 2000K E40	24
313507	150W 2000K E40	24
313508	250W 2000K E40	24
313509	400W 2000K E40	24
313510	1000W 2000K E40	20

Metal Lamps



Code No	Specifications	Pcs/Pack
313523	150W 5500K E40	24
313513	250W 5500K E40	24
313514	400W 5500K E40	24
313512	1000W 5500K E40	20

Metal Lamps



Code No	Specifications	Pcs/Pack
313519	70W 5500K G12	100
313520	150W 5500K G12	100
313521	70W 3000K G12	100
313522	150W 3000K G12	100
313511	70W 5500K Rx7s	100
313515	150W 5500K Rx7s	100

24w LED Lamp

Code No	Specifications	Pcs/Pack
313418	24W 6500K E27	25

Power LED Lamp



Code No	Specifications	Pcs/Pack
313384	3x1W 4000K GU1O	200
313388	3x1W 3000K GU5,3	200
313387	3x1W 6500K GU5,3	200

Power LED Lamp



Code No	Specifications	Pcs/Pack
313383	3x1W 6500K GU10	100
315173	5W 6500K GU10	100

Capsule Lamp (G4-G9)



Code No	Specifications	Pcs/Pack
313459	3W Capsule 3000K G4 12V	100
313460	3W Capsule 3000K G9 220V	100
313461	3W Capsule 3000K G4 220V	100

Par Lamp



Code No	Specifications	Pcs/Pack
313408	12x1W PAR38 Lamp 4000K E27	20
313409	12x1W PAR38 Lamp 6500K E27	20



Indoor LED Strip Triple Chip
IP20



12V DC IP 20

Code No	Specifications			Pcs/Pack
204962	IP20 SMD LED	3000K	5 meter	1
203688	IP20 SMD LED	4000K	5 meter	1
203687	IP20 SMD LED	6500K	5 meter	1
203692	IP20 SMD LED	Yellow	5 meter	1
203689	IP20 SMD LED	Red	5 meter	1
203693	IP20 SMD LED	Green	5 meter	1
203690	IP20 SMD LED	Blue	5 meter	1
203691	IP20 SMD LED	RGB	5 meter	1

Outdoor LED Strip Triple Chip
IP55



12V DC IP 65

Code No	Specifications			Pcs/Pack
203695	IP55 SMD LED	4000K	5 meter	1
203694	IP55 SMD LED	6500K	5 meter	1
203699	IP55 SMD LED	Yellow	5 meter	1
203696	IP55 SMD LED	Red	5 meter	1
203700	IP55 SMD LED	Green	5 meter	1
203697	IP55 SMD LED	Blue	5 meter	1
203698	IP55 SMD LED	RGB	5 meter	1

Constant Voltage 12V IP20 LED Drivers

IP 20

Code No	Specifications	Pcs/Pack
313238	36W 12V 3A	100
313240	60W 12V 5A	120
313242	100W 12V 8,5A	80
313244	150W 12V 12,5A	60

Code No	Specifications	Pcs/Pack
313246	200W 12V 16,5A	36
313252	250W 12V 21A	36
313248	360W 12V 30A	36

Constant Voltage 12V IP67 LED Drivers

IP 67

Code No	Specifications	Pcs/Pack
313249	60W 12V 5A	70
313250	100W 12V 8,5A	72

24V LED Strip ve Driver
IP20 Triple Chip

IP 20

Code No	Specifications	Pcs/Pack
204801	20W SMD LED White 5 metre	1
314833	60W 24V 2,5A	120
314834	120W 24V 5A	80
314835	200W 24V 7.25A	36
314836	360W 24V 15A	36

Pelsan Neon LED and LED Module

Neon LED

Ultra Flexible!
Flexibility provides easy application solutions

Ultra Bright!
Thanks to special silicone makes light more homogeneous.

Dust and Waterproof!
Suitable for outdoor applicaitons, IP65

Ease of use!
Can be used by cutting from the specified points in each meter.
Rated voltage 220V AC.
Up to 50 meters of illumination with a single point of supply.



Neon LED

IP 65

Box contents

- Plug cable
- Connection part
- End cap

Code No	Specifications	Pcs/Pack
203722	Neon LED Amber 50m	1
203719	Neon LED Red 50m	1
203720	Neon LED Blue 50m	1
203723	Neon LED Green 50m	1
203717	Neon LED White 50m	1
203718	Neon LED Warm White 50m	1
203721	Neon LED RGB 50m	1

Code No	Specifications	Pcs/Pack
203726	Neon LED Plug Cable	1
203727	Neon LED Plug Cable for RGB	1
203725	Neon LED Aluminium Mounting Apparatus (5 cm) (10Pcs)	1
203724	Neon LED Birleştirme Aparatı (10Pcs)	1
203728	Neon LED End Cap (10Pcs)	1
204839	Neon LED Connection Apparatus (10Pcs)	1

3 LED Module



- Easy insallation with 3M tape
- 6 different color option
- Rated voltage 12V DC
- IP65
- 7M Module
- Metresi 8,40W (One Color / Meter)
- Metresi 5,40W (RGB/ Meter)

IP 65

Code No	Specifications			Pcs/Pack
203730	1,2W/ad. 12V	White	100 Module	2000
203731	1,2W/ad. 12V	Warm White	100 Module	2000
203733	1,2W/ad. 12V	Red	100 Module	2000

Code No	Specifications			Pcs/Pack
203734	1,2W/ad. 12V	Yellow	100 Module	2000
203732	1,2W/ad. 12V	Amber	100 Module	2000
203729	0,72W/ad. 12V	RGB	100 Module	2000

Ballasts & Kits

H.P. Metal Halide Ballasts



IP 40

Code No	Specifications	axbxcmm	Pcs/Pack
313048	Metal Halide 35W	155x42x33	24
313051	Metal Halide 70W	116x64x54	16
313052	Metal Halide 150W	122x78x66	8
313053	Metal Halide 250W	135x93x79	4
313055	Metal Halide 400W	135x93x79	4
313057	Metal Halide 1000W	197x126x138	2
313059	Metal Halide 2000W (380V)	225x126x138	1

H.P. Sodium Ballasts



IP 40

Code No	Specifications	axbxcmm	Pcs/Pack
313037	Sodium Ballast 50W	116x64x54	16
313040	Sodium Ballast 70W	116x64x54	16
313038	Sodium Ballast 100W	116x64x54	16
313041	Sodium Ballast 150W	122x78x66	4
313042	Sodium Ballast 250W	135x93x72	4
313043	Sodium Ballast 400W	156x93x69	2
313047	Sodium Ballast 600W	178x126x138	2
313045	Sodium Ballast 1000W	197x126x138	2

Metal Kits



IP 20

Code No	Specifications	axbxcmm	Pcs/Pack
200078	Metal Kit 35W Ballast + Igniter	185x115x88	4
200069	Metal Kit 70W Ballast + Igniter	150x64x54	4
200070	Metal Kit 150W Ballast + Igniter	166x77x65	4
200074	Metal Kit 250W Ballast + Igniter	205x93x79	4
200076	Metal Kit 400W Ballast + Igniter	232x93x79	4
105227	Olimpiad Kit 1000W	246x126x138	1

Sera Kits



IP 20

Code No	Specifications	axbxcmm	Pcs/Pack
200066	Sera 400W SB Ballast Kit	232x93x79	4
200067	Sera 600W SB Ballast Kit	246x126x138	1

Silver Fluorescent Ballast



IP 40

Code No	Specifications	axbxcxdmm	Pcs/Pack
312959	15W TLD	100x32,2x87x42	36
312969	20W TLD	100x32,2x87x42	36
312975	32W TLD	100x32,2x87x42	36
312971	36-40W TLD	100x32,2x87x42	36

Electronic Ballast



IP 40

Code No	Specifications	axbxcxdmm	Pcs/Pack
313142	1x18W TLD	295x31x29x285	10
313144	2x18W TLD	295x31x29x285	10
313143	1x36W TLD	295x31x29x285	10
313145	2x36W TLD	295x31x29x285	10
313158	4x14W T5	332x34x32x322	10

Igniter



IP 20

Code No	Specifications	Pcs/Pack
303902	Timer Series Igniters 50-400W	10
303880	Igniter 70-400W	10
303906	600-1000W (25 m)	10
303900	Igniter 600-1000W	10

Starter



IP 20

Code No	Specifications	Pcs/Pack
303850	4-65W	25
303851	Seri 4-22W	25

Pelsan Components

LED Converter Kit

IP 20

Code No	Specifications	Pcs/Pack
316611	12-110V LED Converter Kit (3 Hour)	100

LED Converter Kits (EU)

IP 20

Code No	Specifications	Pcs/Pack
	12-110V LED Converter Kit	100

LED Tube Converter Kit

IP 20

Code No	Specifications	Pcs/Pack
313117	9-18W LED Tube Converter Kit	100

Floresan Converter Kit



IP 20

Code No	Specifications	axbxcmm	Pcs/Pack
313089	18-36W 1 Hour Emerg. kit for mag. Ball.	170x43x31	10
313092	18-36W 3 Hour Emerg. kit for mag. Ball.	170x43x31	10
313122	18-36W 1 Hour Emerg. kit for Elect. Ball.	170x43x31	10
313123	18-36W 3 Hour Emerg. kit for Elect. Ball.	170x43x31	10

IP20 Constant Current LED Drivers



IP 20

Code No	Specifications	Pcs/Pack
313180	20W 600 mA 16-42 V DC	100
313181	15W 700 mA 11-25 V DC	100
313179	25W 400 mA 25-63 V DC	100
313170	40W 600 mA 33-68 V DC	100

Ufo Emergency Lighting Spot (2 Pcs)



IP 20

Code No	Specifications	Pcs/Pack
204463	3W 3000K (2Pcs)	20

Pendant Lampholder



IP 20

Code No	Specifications	Pcs/Pack
304026	Porcelain Pendant Lampholder Set E27	50

Porcelain Lampholder



IP 40

Code No	Specifications	Pcs/Pack
303712	E14 Porcelain Lampholder	480
303722	E14 Porcelain Lampholder with Lammel	400
303713	E27 Porcelain Lampholder	400
303723	E27 Porcelain Lampholder with Lammel	400
303725	E40 Porcelain Lampholder	100

Group Sockets

Çeşme

Earthed Socket Series

Code No	Specifications	Pcs/Pack
203790	Two Gang	100
203787	Two Gang with 2m Cable	48
203788	Two Gang with 3m Cable	48
203789	Two Gang with 5m Cable	24
203794	Three Gang	100
203791	Three Gang with 2m Cable	48
203792	Three Gang with 3m Cable	48
203793	Three Gang with 5m Cable	24
203798	Four Gang	100
203795	Four Gang with 2m Cable	36
203796	Four Gang with 3m Cable	36
203797	Four Gang with 5m Cable	24
203802	Five Gang	100
203799	Five Gang with 2m Cable	36
203800	Five Gang with 3m Cable	36
203801	Five Gang with 5m Cable	24
203806	Six Gang	100
203803	Six Gang with 2m Cable	36
203804	Six Gang with 3m Cable	36
203805	Six Gang with 5m Cable	24

UPS Çeşme (With Switch)

Code No	Specifications	Pcs/Pack
204136	Three Gang UPS	100
204133	Three Gang UPS with 2m Cable	48
204134	Three Gang UPS with 3m Cable	48
204135	Three Gang UPS with 5m Cable	24
204140	Four Gang UPS	100
204137	Four Gang UPS with 2m Cable	36
204138	Four Gang UPS with 3m Cable	36
204139	Four Gang UPS with 5m Cable	24
204144	Six Gang UPS	100
204141	Six Gang UPS with 2m Cable	36
204142	Six Gang UPS with 3m Cable	36
204143	Six Gang UPS with 5m Cable	24

Foça

Earthed Group Socket Series (With Switch)

Code No	Specifications	Pcs/Pack
204353	Two Gang with Switch	100
204350	Two Gang with 2m Cable and Switch	48
204351	Two Gang with 3m Cable and Switch	48
204352	Two Gang with 5m Cable and Switch	24
204357	Three Gang with Switch	100
204354	Three Gang with 2m Cable and Switch	48
204355	Three Gang with 3m Cable and Switch	48
204356	Three Gang with 5m Cable and Switch	24
204361	Four Gang with Switch	100
204358	Four Gang with 2m Cable and Switch	36
204359	Four Gang with 3m Cable and Switch	36
204360	Four Gang with 5m Cable and Switch	24
204365	Five Gang with Switch	100
204362	Five Gang with 2m Cable and Switch	36
204363	Five Gang with 3m Cable and Switch	36
204364	Five Gang with 5m Cable and Switch	24
204369	Six Gang with Switch	100
204366	Six Gang with 2m Cable and Switch	36
204367	Six Gang with 3m Cable and Switch	36
204368	Six Gang with 5m Cable and Switch	24

UPS Foça (With Switch)

Code No	Specifications	Pcs/Pack
204373	Five Gang UPS with Switch	100
204370	Five Gang UPS with 2m Cable and Switch	36
204371	Five Gang UPS with 3m Cable and Switch	36
204372	Five Gang UPS with 5m Cable and Switch	24

Pelsan Group Sockets

Belek Series
Earthed and Child Protected!

5 years warranty

- Child Protected
- Inflamable Body (Upto 850°C)
- Halogen Free Material
- Option With Switch
- Wall Mounted

3 Gang With USB and Switch
Earthed and Child P

Code No	Specifications	Pcs/Pack
204985	3 Gang With 2m Cable, USB and Switch	36
204986	3 Gang With 3m Cable, USB and Switch	36
204987	3 Gang With 5m Cable, USB and Switch	24

3 Gang
Earthed and Child Protected

Code No	Specifications	Pcs/Pack
204975	Three Gang	100
204922	Three Gang with 2m Cable	48
204923	Three Gang with 3m Cable	48
204924	Three Gang with 5m C	

3 Gang With Switch
Earthed and Child Protected

Code No	Specifications	Pcs/Pack
204977	Three Gang with Switch	100
204925	Three Gang with 2m Cable and Switch	48
204926	Three Gang with 3m Cable and Switch	48
204927	Three Gang with 5m Cable and Switch	24

4 Gang
Earthed and Child Pro

Code No	Specifications	Pcs/Pack
204978	Four Gang	100
204929	Four Gang with 2m Cable	36
204930	Four Gang with 3m Cable	36
204931	Four Gang with	

4 Gang With Switch
Earthed and Child Protected

Code No	Specifications	
204979	Four Gang with Switch	
204932	Four Gang with 2m Cable and Switch	36
204933	Four Gang with 3m Cable and Switch	36
204934	Four Gang wit	

6 Gang
Earthed and Child Pro.

Code No	Specifications	
204980	Six Gang	
204935	Six Gang with 2	
204936	Six Gang with 3m Cable	36
204937	Six Gang with 5m Cable	24

6 Gang With Switch
Earthed and Child Pro.

Code No	Specifications	
204981	Six Gang with Switch	100
204938	Six Gang with 2m Cable and Switch	36
204939	Six Gang with 3m Cable and Switch	36
204940	Six Gang with 5m Cable and Switch	24

Fişler

204395

204396

204397

Code No	Specifications	Pcs/Pack
204395	Earthed plug 3 gang socket	100
204396	Earthed plug 4 gang socket	100
204397	Earthed plug 3 gang socket	100

Prizler

Code No	Specifications	Pcs/Pack
202017	Recessed Mounted 2 gang socket	100
202023	Earthed Recessed Mountedi 2 gang socket	60

Plugs

Code No	Specifications	Pcs/Pack
204402	Unearthed Male Plug	1000
204401	Earthed Male Plug	500
204400	Earthed Female Plug	250
204399	Earthed L Type Plug	500

Uzatma

Code No	Specifications	Pcs/Pack
204130	Topraklı Uzatma 3 mt 3x1.0 mm	24
204131	Topraklı Uzatma 5 mt 3x1.0 mm	50
204128	Topraklı Uzatma 10 mt 3x1.5 mm	25

Pelsan Switches and Sockets

Keira White Switch and Socket





Code No	Specifications	Pcs/Pack
Switch Group		
202558	Switch	120
204991	Light	120
204992	Door Switch	120
204993	Door Bell	120
202561	Two Gang Switch	120
204994	Vavien	120
204995	Permutator	120
204996	Two Gang Switch Vavien	120
204997	Jalousie Switch	120
204998	Water Heater Switch	120
204999	Triple Switch	120
Socket Group		
205000	Socket	120
202563	Earthed Socket	120
205001	Child Protected Earthed Socket	120
205002	UPS Earthed Socket	120
205153	UPS Child Protected Earthed Socket	120
205004	Covered Earthed Socket	120
205154	Child Protected Covered Earthed Socket	120
205006	UPS Covered Earthed Socket	120
TV/Radio Group		
205009	Tv Socket Transitive	120
205010	Tv Socket Ended	120
205011	Tv Socket Without Resistor	120
205012	Satellite Socket F Connector Transitive	120
205014	Satellite Socket F Connector Ended	120
205015	Tv-Radyo Socket Transitive	120
205016	Tv-Sat Socket Transitive	120
205007	Tv-Sat Socket Ended	120

Code No	Specifications	Pcs/Pack
Communication Group		
205008	Telephone Socket	120
205017	Numeris Telephone Socket (RJ11)	120
205018	Double Numeris (RJ11)	120
205022	Data-Numeris (RJ45CAT5-RJ11)	120
205020	Data Socket (RJ45CAT5)	120
205021	Double Data Socket (RJ45CAT5)	120
205022	Data Without Jack	120
205023	Data Socket (RJ45CAT6)	120
205024	Double Data Socket (RJ45CAT6)	120
205025	Data-Numeris (RJ45CAT6-RJ11)	80
205026	Audio Socket Double	80
205031	Music Broadcast Switch	80
Dimmer Group		
205027	Dimmer 600W	80
205028	Dimmer 1000W	80
205029	Dimmer vavien 600W	80
205030	Dimmer RC 300W	80
Illuminated Switch Group		
205032	Illuminated Switch	120
205033	Illuminated Light	120
205034	Illuminated Two Gang Switch	120
205035	Illuminated Vavien	120
205036	Illuminated Sticker Door Bell	120
205037	Illuminated Dimmer RI600W	80
205038	Illuminated Dimmer RI1000W	80
205039	Illuminated Dimmer Vavien 600W	80
205040	Illuminated Dimmer RC300W White	80
Frames		
310129	Single Frame	200
202286	Double Frame Horizontal-Vertical	200
202298	Triple Frame Horizontal-Vertical	150
202310	Quadruple Frame Horizontal-Vertical	50
202319	Quintet Frame Horizontal-Vertical	50
202326	Six Frame Horizontal-Vertical	50

Keira Antibacterial Switch and Socket





Code No	Specifications	Pcs/Pack
Switch Group		
205157	Switch	120
205158	Light	120
205159	Door Switch	120
205160	Door Bell	120
205161	Two Gang Switch	120
205162	Vavien	120
205163	Permutator	120
205164	Two Gang Switch Vavien	120
205165	Jalousie Switch	120
205166	Water Heater Switch	120
205167	Triple Switch	120
Socket Group		
205168	Socket	120
205169	Earthed Socket	120
205170	Child Protected Earthed Socket	120
205171	UPS Earthed Socket	120
205172	UPS Child Protected Earthed Socket	120
205173	Covered Earthed Socket	120
205174	Child Protected Covered Earthed Socket	120
205175	UPS Covered Earthed Socket	120
TV/Radio Group		
205176	Tv Socket Transitive	120
205177	Tv Socket Ended	120
205178	Tv Socket Without Resistor	120
205179	Satellite Socket F Connector Transitive	120
205181	Satellite Socket F Connector Ended	120
205182	Tv-Radyo Socket Transitive	120
205183	Tv-Sat Socket Transitive	120
205184	Tv-Sat Socket Ended	120

Code No	Specifications	Pcs/Pack
Communication Group		
205186	Telephone Socket	120
205187	Numeris Telephone Socket (RJ11)	120
205188	Double Numeris (RJ11)	120
205189	Data-Numeris (RJ45CAT5-RJ11)	120
205190	Data Socket (RJ45CAT5)	120
205191	Double Data Socket (RJ45CAT5)	120
205192	Data Without Jack	120
205193	Data Socket (RJ45CAT6)	120
205194	Double Data Socket (RJ45CAT6)	120
205195	Data-Numeris (RJ45CAT6-RJ11)	80
205196	Audio Socket Double	80
205201	Music Broadcast Switch	80
Dimmer Group		
205197	Dimmer 600W	80
205198	Dimmer 1000W	80
205199	Dimmer vavien 600W	80
205200	Dimmer RC 300W	80
Illuminated Switch Group		
205202	Illuminated Switch	120
205203	Illuminated Light	120
205204	Illuminated Two Gang Switch	120
205205	Illuminated Vavien	120
205206	Illuminated Sticker Door Bell	120
205207	Illuminated Dimmer RI600W	80
205208	Illuminated Dimmer RI1000W	80
205209	Illuminated Dimmer Vavien 600W	80
205210	Illuminated Dimmer RC300W White	80
Frames		
310129	Single Frame	200
202291	Double Frame Horizontal-Vertical	200
202303	Triple Frame Horizontal-Vertical	150
202312	Quadruple Frame Horizontal-Vertical	50
202320	Quintet Frame Horizontal-Vertical	50
202327	Six Frame Horizontal-Vertical	50

Pelsan Switches and Sockets

Keira Gray Switch and Socket





Code No	Specifications	Pcs/Pack
Switch Group		
205041	Switch	120
205042	Light	120
205043	Door Switch	120
205044	Door Bell	120
205045	Two Gang Switch	120
205046	Vavien	120
205047	Permutator	120
205048	Two Gang Switch Vavien	120
205049	Jalousie Switch	120
205050	Water Heater Switch	120
205051	Triple Switch	120
Socket Group		
205052	Socket	120
205053	Earthed Socket	120
205054	Child Protected Earthed Socket	120
205055	UPS Earthed Socket	120
205155	UPS Child Protected Earthed Socket	120
205057	Covered Earthed Socket	120
205058	Child Protected Covered Earthed Socket	120
205059	UPS Covered Earthed Socket	120
TV/Radio Group		
205060	Tv Socket Transitive	120
205061	Tv Socket Ended	120
205062	Tv Socket Without Resistor	120
205063	Satellite Socket F Connector Transitive	120
205065	Satellite Socket F Connector Ended	120
205066	Tv-Radyo Socket Transitive	120
205067	Tv-Sat Socket Transitive	120
205068	Tv-Sat Socket Ended	120

Code No	Specifications	Pcs/Pack
Communication Group		
205070	Telephone Socket	120
205071	Numeris Telephone Socket (RJ11)	120
205072	Double Numeris (RJ11)	120
205073	Data-Numeris (RJ45CAT5-RJ11)	120
205074	Data Socket (RJ45CAT5)	120
205075	Double Data Socket (RJ45CAT5)	120
205076	Data Without Jack	120
205077	Data Socket (RJ45CAT6)	120
205078	Double Data Socket (RJ45CAT6)	120
205079	Data-Numeris (RJ45CAT6-RJ11)	80
205080	Audio Socket Double	80
205087	Music Broadcast Switch	80
Dimmer Group		
205081	Dimmer 600W	80
205082	Dimmer 1000W	80
205085	Dimmer vavien 600W	80
205086	Dimmer RC 300W	80
Illuminated Switch Group		
205088	Illuminated Switch	120
205089	Illuminated Light	120
205090	Illuminated Two Gang Switch	120
205091	Illuminated Vavien	120
205092	Illuminated Sticker Door Bell	120
205093	Illuminated Dimmer RI600W	80
205094	Illuminated Dimmer RI1000W	80
205095	Illuminated Dimmer Vavien 600W	80
205096	Illuminated Dimmer RC300W White	80
Frames		
202285	Single Frame	200
202296	Double Frame Horizontal-Vertical	200
202308	Triple Frame Horizontal-Vertical	150
202317	Quadruple Frame Horizontal-Vertical	50
202325	Quintet Frame Horizontal-Vertical	50
202332	Six Frame Horizontal-Vertical	50

75-85-eylul_2019 - EN - Fiyatsýz.FH11 Wed Oct 09 14:59:19 2019 Page 9

Keira Cherry Switch and Socket



Code No	Specifications	Pcs/Pack
Switch Group		
205097	Switch	120
205098	Light	120
205099	Door Switch	120
205100	Door Bell	120
205101	Two Gang Switch	120
205102	Vavien	120
205103	Permutator	120
205104	Two Gang Switch Vavien	120
205105	Jalousie Switch	120
205106	Water Heater Switch	120
205107	Triple Switch	120
Socket Group		
205108	Socket	120
205109	Earthed Socket	120
205110	Child Protected Earthed Socket	120
205111	UPS Earthed Socket	120
205112	UPS Child Protected Earthed Socket	120
205113	Covered Earthed Socket	120
205156	Child Protected Covered Earthed Socket	120
205115	UPS Covered Earthed Socket	120
TV/Radio Group		
205116	Tv Socket Transitive	120
205118	Tv Socket Ended	120
205119	Tv Socket Without Resistor	120
205120	Satellite Socket F Connector Transitive	120
205122	Satellite Socket F Connector Ended	120
205123	Tv-Radyo Socket Transitive	120
205124	Tv-Sat Socket Transitive	120
205125	Tv-Sat Socket Ended	120

Code No	Specifications	Pcs/Pack
Communication		
205126	Telephone Socket	120
205127	Numeris Telephone Socket (RJ11)	120
205128	Double Numeris (RJ11)	120
205129	Data-Numeris (RJ45CAT5-RJ11)	120
205130	Data Socket (RJ45CAT5)	120
205131	Double Data Socket (RJ45CAT5)	120
205132	Data Without Jack	120
205133	Data Socket (RJ45CAT6)	120
205134	Double Data Socket (RJ45CAT6)	120
205135	Data-Numeris (RJ45CAT6-RJ11)	80
205136	Audio Socket Double	80
205141	Music Broadcast Switch	80
Dimmer Group		
205137	Dimmer 600W	80
205138	Dimmer 1000W	80
205139	Dimmer vavien 600W	80
205140	Dimmer RC 300W	80
Illuminated Switch Group		
205142	Illuminated Switch	120
205143	Illuminated Light	120
205144	Illuminated Two Gang Switch	120
205145	Illuminated Vavien	120
205146	Illuminated Sticker Door Bell	120
205147	Illuminated Dimmer Rl600W	80
205148	Illuminated Dimmer Rl1000W	80
205149	Illuminated Dimmer Vavien 600W	80
205150	Illuminated Dimmer RC300W White	80
Frames		
202283	Single Frame	200
202294	Double Frame Horizontal-Vertical	200
202306	Triple Frame Horizontal-Vertical	150
202315	Quadruple Frame Horizontal-Vertical	50
202323	Quintet Frame Horizontal-Vertical	50
202330	Six Frame Horizontal-Vertical	50

Composite

Pelsan Switches and Sockets

Keira White / Glass-Corian





Code No	Specifications	Pcs/Pack
Switch Group		
202558	Switch	120
204991	Light	120
204992	Door Switch	120
204993	Door Bell	120
202561	Two Gang Switch	120
204994	Vavien	120
204995	Permutator	120
204996	Two Gang Switch Vavien	120
204997	Jalousie Switch	120
204998	Water Heater Switch	120
204999	Triple Switch	120
Socket Group		
205000	Socket	120
202563	Earthed Socket	120
205001	Child Protected Earthed Socket	120
205002	UPS Earthed Socket	120
205153	UPS Child Protected Earthed Socket	120
205004	Covered Earthed Socket	120
205154	Child Protected Covered Earthed Socket	120
205006	UPS Covered Earthed Socket	120
TV/Radio Group		
205009	Tv Socket Transitive	120
205010	Tv Socket Ended	120
205011	Tv Socket Without Resıstor	120
205012	Satellite Socket F Connector Transitive	120
205014	Satellite Socket F Connector Ended	120
205015	Tv-Radyo Socket Transitive	120
205016	Tv-Sat Socket Transitive	120
205007	Tv-Sat Socket Ended	120
Dimmer Group		
205027	Dimmer 600W	80
205028	Dimmer 1000W	80
205029	Dimmer vavien 600W	80
205030	Dimmer RC 300W	80

Code No	Specifications	Pcs/Pack
Communication		
205008	Telephone Socket	120
205017	Numeris Telephone Socket (RJ11)	120
205018	Double Numeris (RJ11)	120
205022	Data-Numeris (RJ45CAT5-RJ11)	120
205020	Data Socket (RJ45CAT5)	120
205021	Double Data Socket (RJ45CAT5)	120
205022	Data Without Jack	120
205023	Data Socket (RJ45CAT6)	120
205024	Double Data Socket (RJ45CAT6)	120
205025	Data-Numeris (RJ45CAT6-RJ11)	80
205026	Audıo Socket Double	80
205031	Musıc Broadcast Switch	80
Illuminated Switch Group		
205032	Illuminated Switch	120
205033	Illuminated Light	120
205034	Illuminated Two Gang Switch	120
205035	Illuminated Vavien	120
205036	Illuminated Sticker Door Bell	120
205037	Illuminated Dimmer RI600W	80
205038	Illuminated Dimmer RI1000W	80
205039	Illuminated Dimmer Vavien 600W	80
205040	Illuminated Dimmer RC300W White	80
Frames		
310355	Single White Glass	400
310356	Double White Glass	200
310357	Triple White Glass	150
310358	Single Black	400
310359	Double Black Glass	200
310360	Triple Black Glass	150
310361	Single Grey Corion	400
310362	Double Grey Corion	200
310363	Triple Grey Corion	150
310364	Single Brown Corion	400
310365	Duble Brown Corion	200
310366	Triple Brown Corion	150

Keira Gray / Glass-Corian





Code No	Specifications	Pcs/Pack
Switch Group		
205041	Switch	120
205042	Light	120
205043	Door Switch	120
205044	Door Bell	120
205045	Two Gang Switch	120
205046	Vavien	120
205047	Permutator	120
205048	Two Gang Switch Vavien	120
205049	Jalousie Switch	120
205050	Water Heater Switch	120
205051	Triple Switch	120
Socket Group		
205052	Socket	120
205053	Earthed Socket	120
205054	Child Protected Earthed Socket	120
205055	UPS Earthed Socket	120
205155	UPS Child Protected Earthed Socket	120
205057	Covered Earthed Socket	120
205058	Child Protected Covered Earthed Socket	120
205059	UPS Covered Earthed Socket	120
TV/Radio Group		
205060	Tv Socket Transitive	120
205061	Tv Socket Ended	120
205062	Tv Socket Without Resıstor	120
205063	Satellite Socket F Connector Transitive	120
205065	Satellite Socket F Connector Ended	120
205066	Tv-Radyo Socket Transitive	120
205067	Tv-Sat Socket Transitive	120
205068	Tv-Sat Socket Ended	120
Dimmer Grubu		
205081	Dimmer 600W	80
205082	Dimmer 1000W	80
205085	Dimmer vavien 600W	80
205086	Dimmer RC 300W	80

Code No	Specifications	Pcs/Pack
Communication		
205070	Telephone Socket	120
205071	Numeris Telephone Socket (RJ11)	120
205072	Double Numeris (RJ11)	120
205073	Data-Numeris (RJ45CAT5-RJ11)	120
205074	Data Socket (RJ45CAT5)	120
205075	Double Data Socket (RJ45CAT5)	120
205076	Data Without Jack	120
205077	Data Socket (RJ45CAT6)	120
205078	Double Data Socket (RJ45CAT6)	120
205079	Data-Numeris (RJ45CAT6-RJ11)	80
205080	Audıo Socket Double	80
205087	Musıc Broadcast Switch	80
Illuminated Switch Group		
205088	Illuminated Switch	120
205089	Illuminated Light	120
205090	Illuminated Two Gang Switch	120
205091	Illuminated Vavien	120
205092	Illuminated Stıcker Door Bell	120
205093	Illuminated Dimmer Rl600W	80
205094	Illuminated Dimmer Rl1000W	80
205095	Illuminated Dimmer Vavien 600W	80
205096	Illuminated Dimmer RC300W White	80
Frames		
310355	Single White Glass	400
310356	Double White Glass	200
310357	Triple White Glass	150
310358	Single Black	400
310359	Double Black Glass	200
310360	Triple Black Glass	150
310361	Single Grey Corion	400
310362	Double Grey Corion	200
310363	Triple Grey Corion	150
310364	Single Brown Corion	400
310365	Duble Brown Corion	200
310366	Triple Brown Corion	150

Pelsan Code Index

Code No	Page	Must
100215	**37**	**7**
100223	37	7
100236	37	7
100246	37	7
100260	37	7
100277	37	7
100357	37	7
100364	37	7
100371	37	3
100372	37	3
100374	37	3
100566	14	3
100583	14	3
100602	14	3
100706	13	4
100714	13	4
100722	13	4
100743	13	3
100752	13	3
100765	13	3
100778	47	1
100790	47	1
100891	14	7
100896	14	7
100908	14	7
100963	14	7
100993	13	4
101003	**13**	**4**
101016	13	4
101045	14	4
101057	14	4
101076	14	4
101148	14	1
101176	14	1
101217	14	1
101262	47	1
101282	47	1
101324	13	3
101364	13	3
101373	13	3
101467	14	8
101480	14	8
101498	14	8
101586	14	3
101597	14	3
101612	14	3
101701	14	7
101843	14	2
101881	14	2
101922	14	2
101970	14	4
101981	14	4
101994	14	4
102121	**14**	**5**
102297	14	6
102300	14	6
102381	36	1
102381	36	1
102392	36	1
102392	36	1
102403	36	1
102403	36	1
102417	36	1
102417	36	1
102513	36	2
102513	44	2
102521	36	2
102521	44	2
102574	39	6
102574	47	3
102577	39	6
102577	47	3
102579	39	6
102579	47	3
102669	39	3
102677	39	4
102687	39	3
102697	39	4
102713	39	3
102724	39	4
102744	39	3
102761	39	4
102867	39	3
102872	39	4
102878	39	3
102883	39	4
102955	17	2
102956	17	1
103200	**37**	**4**
103204	37	6
103210	37	4
103214	37	6
103223	37	5
103233	37	5
103242	37	5
103252	37	5
103261	37	4
103264	37	6
103268	37	4
103269	37	6
103275	37	5
103284	37	5
103457	47	2
103460	47	2
103774	15	1
103777	15	2
103782	15	1
103790	59	6
103796	59	6
103823	59	5
103831	59	5
103842	59	5
103874	59	6
103877	59	6
103881	59	6
103946	59	5
103952	59	5
103958	59	5
103991	59	4
103992	59	4
103998	59	4
104007	**59**	**4**
104062	59	3
104064	59	3
104077	59	2
104081	59	2
104102	59	1
104105	59	1
104111	58	6
104128	47	4
104136	47	4
104142	47	5
104149	47	5
104153	47	5
104235	15	1
104278	15	2
104282	15	2
104300	54	8
104301	54	8
104308	54	7
104311	54	7
104320	54	5
104323	54	5
104327	54	4
104327	92	4
104329	54	4
104351	29	12
104353	29	6
104356	29	9
104357	34	4
104359	34	4
104364	34	2
104367	34	1
104369	34	3
104372	90	12
105078	**88**	**1**
105080	88	3
105084	88	2
105090	31	2
105091	31	3
105092	31	1
105093	31	4
105094	31	6
105095	31	5
105098	31	2
105101	31	1
105104	31	3
105106	31	2
105106	34	5
105109	31	1
105112	31	3
105115	31	2
105115	34	5
105118	31	1
105121	31	3
105122	31	2
105123	31	3
105124	31	1
105127	31	2
105127	34	5
105130	31	3
105133	31	1
105137	54	1
105145	92	5
105161	54	2
105166	54	2
105173	54	2
105187	54	3
105190	54	3
105196	54	3
105210	92	3
105227	77	3
105229	54	6
105229	92	2
105232	54	6
105232	92	2
105256	54	1
105331	37	8
105332	37	8
105335	37	8
105339	37	8
105342	37	8
105344	37	8
105348	37	8
105353	37	8
105381	35	1
105383	35	1
105385	35	1
105386	29	11
105387	29	8
105388	29	2
105389	29	5
105393	29	10
105395	29	7
105417	92	11
105445	92	12
105509	55	1
105510	55	1
105513	55	1
105514	55	1
105518	55	2
105519	55	2
105522	55	2
105523	55	2
105526	55	3
105527	55	3
105530	55	3
105531	55	3
105536	55	1
105543	55	2
105550	55	3
105557	52	2
105571	52	2
105585	40	3
105593	40	3
105597	40	3
105599	40	1
105603	40	1
105606	40	1
105609	40	1
105659	6	1
105679	6	1
105713	36	1
105713	44	1
105719	39	1
105721	39	1
105722	39	1
105737	90	1
105796	18	1
105807	18	2
105814	18	2
105818	18	2
105871	39	5
105884	39	5
105894	39	5
105957	58	5
105961	58	5
105967	58	5
105979	58	6
105989	63	2
106049	**25**	**5**
106057	13	2
106071	11	1
106072	11	1
106073	11	1
106089	11	1
106090	11	1
106093	11	1
106101	13	6
106103	13	6
106163	6	3
106171	6	4
106198	13	1
106233	10	4
106249	10	2
106333	17	3
106340	17	3
106347	17	3
106358	17	4
106362	17	4
106366	17	4
106427	23	5
106428	23	5
106430	23	7
106431	23	7
106432	23	7
106433	23	8
106434	23	8
106442	23	10
106443	23	10
106498	49	5
106499	49	5
106500	49	5
106501	49	5
106502	49	5
106504	52	4
106505	52	4
106518	52	4
106526	58	4
106531	58	4
106537	58	4
106543	58	4
106568	52	3
106574	52	3
106578	48	1
106578	49	4
106579	48	1
106579	49	4
106580	48	1
106580	49	4
106581	48	1
106581	49	4
106582	48	1
106582	49	4
106583	48	2
106584	48	2
106585	48	2
106615	49	3
106616	49	3
106617	49	3
106618	49	3
106619	49	3
106627	48	3
106634	46	2
106638	15	1
106697	8	7
106703	8	8
106707	8	7
106713	8	5
106716	8	6
106719	8	5
106725	8	3
106728	8	4
106731	8	3
106928	21	9
106934	21	9
106937	21	9
106943	21	8
106950	21	8
106961	21	8
106969	21	7
106977	21	7
106985	21	7
106991	21	12
106994	21	12
106997	21	12
107003	**21**	**11**
107006	21	11
107012	21	11
107018	21	10
107021	21	10
107025	21	10
107044	21	3
107046	21	2
107048	21	1
107049	21	1
107050	21	6
107052	21	6
107054	21	6
107056	21	5
107058	21	5
107060	21	5
107062	21	4
107064	21	4
107066	21	4
107069	20	6
107072	20	6
107075	20	5
107078	20	5
107081	20	4
107084	20	4
107086	20	1
107088	20	1
107090	20	1
107092	20	1
107095	20	1
107097	20	1
107100	53	8
107101	53	7
107102	53	7
107103	53	7
107104	53	7
107105	53	5
107106	53	5
107109	53	6
107112	53	3
107115	53	4
107116	53	1
107117	53	2
107118	53	8
107127	50	2
107130	50	1
107137	50	2
107138	50	2
107140	50	1
107141	50	1
107142	52	1
107143	52	1
107391	69	8
107393	69	4
107395	69	7
107409	69	9
107410	69	5
107411	69	6
107416	63	1
107447	70	4
107453	70	3
107461	65	2
107463	65	2
107467	64	1
107470	64	3
107509	61	1
107510	65	5
107517	65	4

Code Index

Pelsan

Code No	Page	Must
107519	65	6
107522	62	2
107530	65	4
107531	65	1
107532	65	1
107533	65	4
107543	65	3
107557	68	7
107560	68	5
107564	68	3
107565	68	4
107578	68	6
107580	67	4
107585	68	2
107586	67	4
107588	68	1
107591	62	3
107601	62	1
107619	62	1
107648	90	3
107661	63	2
107758	54	8
107758	92	9
107759	93	4
107879	21	3
107891	23	1
107892	23	1
107893	23	1
107900	26	5
107901	26	6
107902	26	7
107904	26	8
107906	58	2
107907	27	3
107910	27	3
107912	17	1
107918	23	2
107919	23	2
107920	23	2
107921	23	4
107922	23	4
107923	23	4
107924	23	5
107925	23	8
107926	23	10
107932	36	3
107932	44	3
107933	36	3
107933	44	3
107938	36	3
107938	44	3
107939	36	3
107939	44	3
107945	28	1
107946	28	5
107948	28	3
107949	28	7
107951	29	1
107952	29	1
107954	29	4
107956	29	4
107960	28	2
107961	28	6
107963	28	4
107964	28	8
107968	11	1
107969	11	1
107981	27	4
107982	27	4

Code No	Page	Must
107992	58	1
107993	58	1
107994	58	1
107995	46	3
107997	24	4
107998	24	4
107999	24	3
108000	**24**	**3**
108004	70	1
108005	70	1
108006	70	1
108007	70	1
108008	27	2
108009	27	2
108010	27	5
108011	27	5
108023	11	2
108024	11	2
108025	11	4
108026	11	4
108027	11	5
108028	11	5
108029	11	2
108030	11	2
108078	17	2
108083	17	3
108085	6	6
108087	11	4
108088	11	5
108089	11	2
108104	11	2
108112	55	4
108114	11	3
108115	11	3
108116	12	1
108117	12	1
108118	38	1
108119	38	1
108120	38	2
108122	46	3
108131	24	5
108132	24	5
108139	21	2
108140	26	9
108151	24	8
108152	12	4
108152	13	5
108153	12	6
108161	12	3
108163	63	3
108166	53	7
108167	53	7
108174	55	4
108176	55	4
108178	55	4
108201	18	1
108202	18	1
108225	45	3
108252	12	2
108256	22	1
108261	61	2
108266	22	1
108267	22	2
108268	22	2
108269	22	3
108270	22	3
108271	22	4
108272	22	4
108273	30	2

Code No	Page	Must
108276	30	2
108277	30	1
108278	30	3
108279	30	2
108285	13	2
108286	13	1
108297	49	2
108298	49	2
108302	7	4
108303	7	1
108307	10	1
108310	24	6
108312	24	6
108325	23	3
108327	23	9
108328	23	6
108344	24	8
108358	30	4
108359	30	6
108360	30	5
108361	30	2
108362	30	2
108363	30	3
108364	30	3
108365	30	3
108366	30	3
108367	30	1
108368	30	1
108369	30	1
108370	30	1
108372	45	3
108373	45	3
108378	14	5
108390	43	1
108392	7	3
108407	38	2
108408	9	1
108416	35	2
108417	6	1
108418	12	5
108420	6	2
108423	7	1
108425	7	2
108454	26	1
108456	26	1
108458	49	1
108459	49	1
108464	31	4
108465	31	6
108466	31	5
108467	30	4
108468	30	6
108469	30	5
108470	6	2
108471	6	2
108478	7	1
108479	7	2
108480	7	2
108494	56	2
108498	61	2
108499	61	2
108500	64	2
108501	64	4
108508	35	2
108509	35	2
108512	10	3
108519	39	1
108524	45	1
108525	45	2

Code No	Page	Must
108526	45	1
108527	45	2
108532	45	1
108533	45	2
108534	45	1
108535	45	2
108560	51	1
108562	51	1
108564	51	1
108580	12	5
108589	46	2
108600	46	2
108605	63	1
108606	63	1
108608	60	1
108609	60	1
108610	62	2
108612	63	3
108633	21	2
108672	45	3
108674	45	3
108688	45	1
108690	45	2
108772	28	1
108772	34	6
108773	28	3
108773	34	6
108780	7	8
108785	7	7
108786	7	7
108798	38	2
108800	39	6
108800	47	3
108801	39	6
108801	47	3
108802	39	6
108802	47	3
108833	37	1
108834	37	2
108835	37	1
108836	37	2
108837	37	1
108838	37	2
108846	61	1
108856	66	1
108859	67	2
108866	66	2
108868	66	3
108869	66	4
108870	66	5
108871	66	6
108872	66	7
108873	66	8
108874	67	5
108875	67	6
108876	67	7
108877	67	8
108878	67	1
108898	16	2
108899	16	2
108900	16	2
108901	16	2
108906	30	2
108943	56	1
108945	56	1
108947	56	1
108950	6	5
108951	6	5
108952	7	5

Code No	Page	Must
108953	7	6
108958	9	2
108959	9	2
108960	9	2
108962	9	2
108963	9	2
108964	16	1
108965	16	1
108966	16	1
108967	16	1
108968	21	3
108969	21	1
108970	30	3
108972	15	2
108989	49	6
108990	49	6
108991	49	6
109009	61	1
109027	67	3
109028	17	4
109051	30	1
109065	39	2
109066	39	2
109068	27	1
109069	27	1
109086	7	8
109101	38	2
109107	24	2
109108	24	2
109109	24	2
109110	24	2
109113	24	2
109114	24	2
109117	24	1
109118	24	1
109119	24	1
109120	24	1
109123	24	1
109124	24	1
109128	12	2
109130	19	3
109139	18	1
109140	18	2
109141	19	4
109145	40	1
109147	40	1
109148	40	1
109149	19	2
109150	39	2
109151	39	2
109153	39	2
109158	20	2
109159	20	3
109163	20	2
109164	20	3
109165	20	2
109166	20	3
109169	57	1
109171	57	1
109173	57	1
109175	57	1
109181	57	2
109183	57	2
109185	57	2
109187	57	2
109194	57	3
109196	57	3
109198	57	3
109204	58	3

Code No	Page	Must
109209	50	3
109210	50	3
109211	50	3
109212	57	1
109214	57	1
109218	50	1
109219	56	1
109220	51	1
109221	46	2
109222	46	1
109223	46	1
109224	52	4
109227	32	6
109228	33	3
109234	8	1
109235	8	1
109236	8	2
109245	37	3
109250	19	1
109251	19	1
109252	19	1
200066	77	4
200067	77	4
200069	77	3
200070	77	3
200074	77	3
200076	77	3
200078	77	3
200205	42	2
200379	42	2
200511	42	1
200545	42	1
200944	43	2
201013	**43**	**2**
201064	43	3
201110	43	3
201136	43	4
201165	43	4
202283	**85**	**7**
202285	84	7
202286	83	7
202291	82	7
202294	85	7
202296	84	7
202298	83	7
202303	82	7
202306	85	7
202308	84	7
202310	83	7
202312	82	7
202315	85	7
202317	84	7
202319	83	7
202320	82	7
202323	85	7
202325	84	7
202326	83	7
202327	82	7
202330	85	7
202332	84	7
202558	83	1
202558	86	1
202561	83	1
202561	86	1
202563	83	2
202563	86	2
203125	**94**	**8**
203359	94	11
203483	94	12

Pelsan

Code Index

Code No	Page	Must
203575	92	4
203687	75	1
203688	75	1
203689	75	1
203690	75	1
203691	75	1
203692	75	1
203693	75	1
203694	75	2
203695	75	2
203696	75	2
203697	75	2
203698	75	2
203699	75	2
203700	75	2
203717	76	1
203718	76	1
203719	76	1
203720	76	1
203721	76	1
203722	76	1
203723	76	1
203724	76	1
203725	76	1
203726	76	1
203727	76	1
203728	76	1
203729	76	2
203730	76	2
203731	76	2
203732	76	2
203733	76	2
203734	76	2
203783	93	3
203787	79	1
203788	79	1
203789	79	1
203790	79	1
203791	79	1
203792	79	1
203793	79	1
203794	79	1
203795	79	1
203796	79	1
203797	79	1
203798	79	1
203799	79	1
203800	79	1
203801	79	1
203802	79	1
203803	79	1
203804	79	1
203805	79	1
203806	79	1
203812	91	6
203813	91	11
203814	91	11
203816	91	11
203825	93	1
203861	90	11
203862	90	10
203884	92	1
203885	42	4
203887	42	8
203888	42	6
203889	42	7
203890	42	5
203891	42	3
203905	41	5
203907	41	1
203911	41	3
203913	41	2
203945	92	7
203948	53	8
203954	92	8
203958	93	6
203963	88	9
204035	**94**	**9**
204039	94	7
204040	94	7
204042	94	7
204046	94	8
204094	88	6
204117	88	4
204126	88	5
204128	81	3
204130	81	3
204131	81	3
204133	79	3
204134	79	3
204135	79	3
204136	79	3
204137	79	3
204138	79	3
204139	79	3
204140	79	3
204141	79	3
204142	79	3
204143	79	3
204144	79	3
204149	92	6
204158	94	11
204160	94	11
204162	94	10
204164	94	10
204165	54	6
204165	92	2
204171	26	2
204174	26	4
204175	26	4
204183	94	3
204207	94	1
204211	94	2
204240	94	12
204242	94	12
204246	90	12
204261	70	1
204264	90	1
204265	90	2
204266	90	6
204273	90	4
204275	90	5
204282	70	6
204283	70	5
204291	93	2
204319	93	5
204350	79	2
204351	79	2
204352	79	2
204353	79	2
204354	79	2
204355	79	2
204356	79	2
204357	79	2
204358	79	2
204359	79	2
204360	79	2
204361	79	2
204362	79	2
204363	79	2
204364	79	2
204365	79	2
204366	79	2
204367	79	2
204368	79	2
204369	79	2
204370	79	4
204371	79	4
204372	79	4
204373	79	4
204395	81	1
204396	81	1
204397	81	1
204399	81	2
204400	81	2
204401	81	2
204402	81	2
204423	70	2
204425	90	7
204429	91	3
204442	70	7
204443	70	8
204445	89	8
204446	89	7
204448	89	9
204455	91	12
204463	41	6
204463	78	6
204463	89	6
204465	89	6
204467	90	9
204472	91	8
204473	91	8
204474	91	9
204485	80	1
204487	29	3
204505	69	1
204506	69	2
204507	91	1
204508	91	2
204510	90	7
204515	90	8
204516	90	9
204521	91	4
204522	91	7
204524	91	5
204525	89	12
204526	89	10
204527	89	10
204528	89	10
204529	25	6
204529	69	3
204529	91	10
204530	89	11
204531	89	11
204540	88	12
204544	25	2
204547	25	3
204551	25	1
204557	88	10
204558	88	11
204561	88	7
204562	88	8
204569	25	4
204618	89	2
204619	41	4
204620	41	4
204623	41	4
204633	90	8
204645	89	1
204646	89	1
204647	89	5
204650	89	4
204651	89	4
204652	89	4
204653	89	4
204655	89	3
204659	93	7
204671	36	4
204671	44	4
204672	36	4
204672	44	4
204673	36	4
204673	44	4
204723	92	10
204801	75	6
204839	76	1
204922	80	2
204923	80	2
204924	80	2
204925	80	3
204926	80	3
204927	80	3
204929	80	4
204930	80	4
204931	80	4
204932	80	5
204933	80	5
204934	80	5
204935	80	6
204936	80	6
204937	80	6
204938	80	7
204939	80	7
204940	80	7
204962	75	1
204975	80	2
204977	80	3
204978	80	4
204979	80	5
204980	80	6
204981	80	7
204986	80	1
204987	80	1
204991	83	1
204991	86	1
204992	83	1
204992	86	1
204993	83	1
204993	86	1
204994	83	1
204994	86	1
204995	83	1
204995	86	1
204996	83	1
204996	86	1
204997	83	1
204997	86	1
204998	83	1
204998	86	1
204999	83	1
204999	86	1
205000	**83**	**2**
205000	86	2
205001	83	2
205001	86	2
205002	83	2
205002	86	2
205004	83	2
205004	86	2
205006	83	2
205006	86	2
205007	83	3
205007	86	3
205008	83	4
205008	86	4
205009	83	3
205009	86	3
205010	83	3
205010	86	3
205011	83	3
205011	86	3
205012	83	3
205012	86	3
205014	83	3
205014	86	3
205015	83	3
205015	86	3
205016	83	3
205016	86	3
205017	83	4
205017	86	4
205018	83	4
205018	86	4
205020	83	4
205020	86	4
205021	83	4
205021	86	4
205022	83	4
205022	83	4
205022	86	4
205022	86	4
205023	83	4
205023	86	4
205024	83	4
205024	86	4
205025	83	4
205025	86	4
205026	83	4
205026	86	4
205027	83	5
205027	86	5
205028	83	5
205028	86	5
205029	83	5
205029	86	5
205030	83	5
205030	86	5
205031	83	4
205031	86	4
205032	83	6
205032	86	6
205033	83	6
205033	86	6
205034	83	6
205034	86	6
205035	83	6
205035	86	6
205036	83	6
205036	86	6
205037	83	6
205037	86	6
205038	83	6
205038	86	6
205039	83	6
205039	86	6
205040	83	6
205040	86	6
205041	84	1
205041	87	1
205042	84	1
205042	87	1
205043	84	1
205043	87	1
205044	84	1
205044	87	1
205045	84	1
205045	87	1
205046	84	1
205046	87	1
205047	84	1
205047	87	1
205048	84	1
205048	87	1
205049	84	1
205049	87	1
205050	84	1
205050	87	1
205051	84	1
205051	87	1
205052	84	2
205052	87	2
205053	84	2
205053	87	2
205054	84	2
205054	87	2
205055	84	2
205055	87	2
205057	84	2
205057	87	2
205058	84	2
205058	87	2
205059	84	2
205059	87	2
205060	84	3
205060	87	3
205061	84	3
205061	87	3
205062	84	3
205062	87	3
205063	84	3
205063	87	3
205065	84	3
205065	87	3
205066	84	3
205066	87	3
205067	84	3
205067	87	3
205068	84	3
205068	87	3
205070	84	4
205070	87	4
205071	84	4
205071	87	4
205072	84	4
205072	87	4
205073	84	4
205073	87	4
205074	84	4
205074	87	4
205075	84	4
205075	87	4
205076	84	4
205076	87	4

Code Index

Pelsan

Code No	Page	Must
205077	84	4
205077	87	4
205078	84	4
205078	87	4
205079	84	4
205079	87	4
205080	84	4
205080	87	4
205081	84	5
205081	87	5
205082	84	5
205082	87	5
205085	84	5
205085	87	5
205086	84	5
205086	87	5
205087	84	4
205087	87	4
205088	84	6
205088	87	6
205089	84	6
205089	87	6
205090	84	6
205090	87	6
205091	84	6
205091	87	6
205092	84	6
205092	87	6
205093	84	6
205093	87	6
205094	84	6
205094	87	6
205095	84	6
205095	87	6
205096	84	6
205096	87	6
205097	85	1
205098	85	1
205099	85	1
205100	85	1
205101	85	1
205102	85	1
205103	85	1
205104	85	1
205105	85	1
205106	85	1
205107	85	1
205108	85	2
205109	85	2
205110	85	2
205111	85	2
205112	85	2
205113	85	2
205115	85	2
205116	85	3
205118	85	3
205119	85	3
205120	85	3
205122	85	3
205123	85	3
205124	85	3
205125	85	3
205126	85	4
205127	85	4
205128	85	4
205129	85	4
205130	85	4
205131	85	4
205132	85	4

Code No	Page	Must
205133	85	4
205134	85	4
205135	85	4
205136	85	4
205137	85	5
205138	85	5
205139	85	5
205140	85	5
205141	85	4
205142	85	6
205143	85	6
205144	85	6
205145	85	6
205146	85	6
205147	85	6
205148	85	6
205149	85	6
205150	85	6
205153	83	2
205153	86	2
205154	83	2
205154	86	2
205155	84	2
205155	87	2
205156	85	2
205157	82	1
205158	82	1
205159	82	1
205160	82	1
205161	82	1
205162	82	1
205163	82	1
205164	82	1
205165	82	1
205166	82	1
205167	82	1
205168	82	2
205169	82	2
205170	82	2
205171	82	2
205172	82	2
205173	82	2
205174	82	2
205175	82	2
205176	82	3
205177	82	3
205178	82	3
205179	82	3
205181	82	3
205182	82	3
205183	82	3
205184	82	3
205186	82	4
205187	82	4
205188	82	4
205189	82	4
205190	82	4
205191	82	4
205192	82	4
205193	82	4
205194	82	4
205195	82	4
205196	82	4
205197	82	5
205198	82	5
205199	82	5
205200	82	5
205201	82	4
205202	82	6

Code No	Page	Must
205203	82	6
205204	82	6
205205	82	6
205206	82	6
205207	82	6
205208	82	6
205209	82	6
205210	82	6
205224	16	5
301125	**59**	**8**
303712	**78**	**8**
303713	78	8
303722	78	8
303723	78	8
303725	78	8
303835	27	6
303839	27	7
303840	27	7
303841	27	7
303842	27	7
303843	27	7
303844	27	7
303845	27	6
303846	27	6
303847	27	6
303848	27	6
303849	27	6
303850	77	8
303851	77	8
303880	77	7
303900	77	7
303902	77	7
303906	77	7
304026	**78**	**7**
304906	16	5
304906	17	5
304915	16	5
304915	17	5
306960	**36**	**4**
306960	44	4
310129	**82**	**7**
310129	83	7
310355	86	7
310355	87	7
310357	86	7
310357	87	7
310358	86	7
310358	87	7
310359	86	7
310359	87	7
310360	86	7
310360	87	7
310361	86	7
310361	87	7
310362	86	7
310362	87	7
310363	86	7
310363	87	7
310364	86	7
310364	87	7
310365	86	7
310365	87	7
310366	86	7
310366	87	7
310724	59	8
310863	53	6
310864	53	3
310865	53	1
310865	53	4

Code No	Page	Must
310866	53	2
311067	47	4
311068	47	5
311144	47	4
311145	47	5
311151	59	7
311155	59	8
311156	59	7
311157	59	7
311158	59	8
311160	59	7
311186	40	3
311266	11	7
311267	11	7
311268	11	7
311269	11	7
312787	86	7
312787	**87**	**7**
312959	77	5
312969	77	5
312971	77	5
312975	77	5
313037	**77**	**2**
313038	77	2
313040	77	2
313041	77	2
313042	77	2
313043	77	2
313045	77	2
313047	77	2
313048	77	1
313051	77	1
313052	77	1
313053	77	1
313055	77	1
313057	77	1
313059	77	1
313089	78	4
313092	78	4
313114	24	7
313117	39	3
313117	78	3
313118	6	7
313122	78	4
313123	78	4
313142	77	6
313143	77	6
313144	77	6
313145	77	6
313158	77	6
313170	78	5
313179	78	5
313180	78	5
313181	78	5
313211	23	12
313212	23	12
313213	23	12
313238	75	3
313240	75	3
313242	75	3
313244	75	3
313246	75	4
313248	75	4
313249	75	5
313250	75	5
313252	75	4
313339	94	6
313367	94	5
313383	74	6

Code No	Page	Must
313384	74	5
313387	74	5
313388	74	5
313388	93	11
313395	71	4
313396	71	4
313397	71	4
313406	71	2
313407	71	2
313408	74	8
313408	93	10
313409	74	8
313409	93	10
313415	71	1
313418	74	4
313418	93	12
313420	71	7
313421	71	8
313426	71	5
313435	72	2
313436	72	2
313437	72	1
313438	72	3
313439	72	1
313440	72	6
313441	72	4
313442	72	5
313444	72	3
313445	72	1
313446	72	1
313459	74	7
313460	74	7
313461	74	7
313480	94	4
313481	94	4
313490	94	4
313500	94	4
313503	94	4
313504	74	1
313505	74	1
313506	74	1
313507	74	1
313508	74	1
313509	74	1
313510	74	1
313511	74	3
313511	93	9
313512	74	2
313513	74	2
313514	74	2
313515	74	3
313519	74	3
313519	93	8
313520	74	3
313521	74	3
313521	93	8
313522	74	3
313522	93	8
313523	74	2
313524	11	9
313526	11	9
313527	6	7
313699	91	12
313701	91	12
313768	62	1
314663	**73**	**1**
314664	73	1
314665	73	1
314666	73	1

Code No	Page	Must
314668	73	1
314669	73	1
314671	73	2
314717	32	2
314720	32	1
314722	33	5
314725	32	4
314726	32	5
314729	33	2
314730	33	4
314732	32	3
314733	33	1
314735	32	7
314736	33	6
314737	33	6
314738	32	8
314833	75	6
314834	75	6
314835	75	6
314836	75	6
315105	**71**	**3**
315106	71	3
315107	71	6
315113	73	6
315114	73	3
315115	73	4
315116	73	5
315173	74	6
315382	11	6
315895	43	1
315898	11	6
316066	**27**	**6**
316067	27	6
316068	27	7
316069	27	7
316484	11	8
316582	11	8
316611	11	9
316611	23	11
316611	78	1
316738	18	1
316957	16	5
316957	17	5
317028	**18**	**1**
317148	19	1
317383	19	1

ENEC Certified

LED Road & Street Luminaires

LED Floodlights

Recessed Mounted LED Office Luminaires

Ignitor

Electronic Ballasts

Surface Mounted LED Office Luminaires

Atex Certified

Ex-Proof Luminaires can be safely used in potentially explosive enviroments where hazardous gas and dust are present.

IEP ENERGY PETROLEUM INSTITUTE

IEP ATEX

(1) **EU- Internal Production Control Certificate**

(2) **Equipment or Protective Systems Intended for use in Potentially Explosive Atmospheres**

Directive 2014/34/EU

(3) EU – Internal Production Control Certificate Number: **IEP 16 ATEX 0468**

(4) Product: **Led lighting fixtures, Pelsan xy series**

(5) Firm Name: **PELSAN AYDINLATMA SANAYİ ve TİCARET A.Ş.**

(6) Firm Address: **İmes Sanayi Sitesi A Blok 101 Sokak No:38 Dudullu Ümraniye - İSTANBUL TURKEY**

(7) This product any of acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) The IEP Uluslararası Enerji Petrol Gözetim , Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Sti., notified body number 2284 in accordance with Article 17 of the Directive 2014/34/EU of European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres, given in Annex II/VIII to the Directive. The examination and test results are recorded in confidential Report Nr: IEP.Rp.Ex.10-1037 date 18.11.2016.

(9) Compliance with Essential Health and safety requirements has been assured by compliance with ;

EN 60079-0 : 2012, EN 60079-15 : 2010, EN 60079-31 : 2009

(10) If the sign " X " is placed after the certificate number, it indicates that the product is subject to Specified Conditions of Safe Use specified in the schedule to this certificate.

(11) This EU-Internal Production Control Certificate relates only to the design and construction of the specified product in accordance to the directive 2014/34/EU. Further requirements of the directive apply to the manufacturing process and supply of this product. These are not covered by this certificate. Validity date 10 year. If standard or product change, this certificate is invalid.

(12) The marking of the equipment or protective system shall include the following :

Ex **II 3G Ex nR IIC T5 Gc**
II 3D Ex tc IIIC (T 95 °C) Dc

Responsible Person :
Nurettin Terzioglu
Head of Certification Body

Date of Issue : 22.11.2016

IEP Uluslararası Enerji Petrol Göz., Sertifikasyon ve Teknik Hiz. Org. Tic. Ltd. Sti.
5746/1 Sok. No:9 K:2 Bornova - İZMİR / TURKEY
Tel : +90 232 431 17 45 – 46 Fax : +90 232 431 17 30 E-mail: iep@iep.com.tr Fr: 65
This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, schedule included. You can check accuracy of this document by www.iep.com.tr.

Page | 1 / 2



IEP ATEX **IEP ENERGY PETROLEUM INSTITUTE**

(13) Schedule

(14) Certificate Nr: **IEP 16 ATEX 0468**

(15) Description of Equipment Protective System;

The Led lighting fixtures, Pelsan xy series designed as an floodlights, high bay and canopy are mounting type of electrical device. Led lighting fixtures, Pelsan xy series made from according to Aluminum. Led lighting fixtures, Pelsan xy series is equipped with cable gland d or e type .To must be used of ground cable 4 mm² (min) and HD 21.13.S1/HD.22.4.S4.Led lighting fixtures have been evaluated in the contents of IP 66.Led lighting fixtures use as zone 2 and 22 that be used danger area determined in the EN 60079-10-1 and EN 60079-10-2 standard.

Technical Parameters: Led lighting fixtures, Pelsan xy series

Type	Power (W)
Piroliz	50, 75, 100, 125, 150
Sia	50, 75, 100, 125, 150
Nairo	50, 75, 100, 125, 150
Operating Voltage 230 V AC , 50 / 60 Hz.	
Operating Temperature (-20 ~ +50) °C	

Led lighting fixtures Product Code System

Pelsan X Y
- Power (50, 75, 100, 125, 150)
- Model; Piroliz , Sia, Nairo (Accessory)
- Mark

(16) This certificate is in the contents of standards that mentioned in item [9] It has been accepted that Led lighting fixtures is manufactured according to the producer instructions and the standards mentioned above.

(17) Information's of mounting instruction manual of 4 pages approved and date 08.02.2016.

(18) List of Documentation;

Drawing Nr :	Drawing Name :	Date :
PLS-01	Frame	25.01.2016
PLS-02	Body Aluminum	25.01.2016
PLS-03	Plastic Driver Cover	25.01.2016
PLS-04	Screw Cross Section	25.01.2016
PLS-05	Exploded Drawing	25.01.2016
PLS-06	Assembly	25.01.2016
PLS-07	Plastic Reflector	25.01.2016
PLS-08	Roof Connection	25.01.2016

Part inside of Led lighting fixtures, Pelsan xy series indicated in the part list and equipment list, table 1 dated 08.02.2016.

Responsible Person:
Nurettin Terzioglu
Head of Certification Body

Date of Issue : 22.11.2016

IEP Uluslararası Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyon Ticaret Limited Sirketi
5746/1 Sk. No:9 K:2 Bornova - İZMİR /TURKEY Tel: +90 232 431 1745 – 46 Fax: +90 232 431 17 30 E-mail: iep@iep.com.tr Fr:65
This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, schedule included. You can check accuracy of this document by www.iep.com.tr

Page | 2 / 2

Nairo, Piroliz, Sia Exproof Certified

IEP ENERGY PETROLEUM INSTITUTE

IEP ATEX

(1) **Type Examination Certificate**

(2) **Equipment or Protective Systems Intended for use in Potentially Explosive Atmospheres**

Directive 2014/34/EU

(3) Type Examination Certificate Number: **IEP 18 ATEX 0597**

(4) Equipment: **Largo Type , Exproof Luminaries**

(5) Firm Name: **PELSAN AYDINLATMA SANAYİ ve TİCARET A.Ş.**

(6) Firm Address: **İmes Sanayi Sitesi A Blok 101 Sok. No:38 Y.Dudullu - İSTANBUL / TURKEY**

(7) This equipment or protective system and any of acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) The IEP Uluslararası Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Sti., certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of category 3 equipment, which is intended for use in potentially explosive atmospheres, given in Annex II to the Council Directive 2014/34/EU. The examination and test results are recorded in confidential Report Nr: IEP.Rp.Ex.10-1281 date 28.05.2018.

(9) Compliance with Essential Health and safety requirements has been assured by compliance with;

EN 60079-0:2013, EN 60079-15:2010, EN 60079-31:2014

(10) If the sign " X " is placed after the certificate number, it indicates that the product is subject to Specified Conditions of Safe Use specified in the schedule to this certificate.

(11) This Type Examination Certificate relates only to the design and specification for construction of the equipment or protective system. It does not cover process for actual manufacture or supply of the equipment or protective system, for which further requirements of the directive are applicable.

(12) The marking of the equipment or protective system shall include the following:

Ex **II 3G Ex nR IIC T6 Gc**
II 3D Ex tc IIIC T 80° C Dc

Responsible Person:
Nurettin Terzioglu
Head of Certification Body

Date of Issue: 31.05.2018

IEP Uluslararası Enerji Petrol Göz., Sertifikasyon ve Teknik Hiz. Org. Tic. Ltd. Sti.
5746/1 Sok. No:9 K:2 Bornova - İZMİR / TURKEY
Tel : +90 232 431 17 45 – 46 Fax : +90 232 431 17 30 E-mail: iep@iep.com.tr Fr: 45
This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, schedule included. You can check accuracy of this document by www.iep.com.tr



IEP ATEX **IEP ENERGY PETROLEUM INSTITUTE**

(13) Schedule

(14) Certificate Nr: **IEP 18 ATEX 0597**

(15) Description of Equipment;

Largo Type , Exproof Luminaries are designed to be used against harsh weather conditions. Largo Type , Exproof Luminaries can be used in zone 2 and zone 22 electric devices and can be used in IIC gas group and IIIC dust group. There are related explanations in the product manual. Installation must conform to the appropriate manual. Led driver protection IP 67. Luminaries have been evaluated in the contents of IP 65. Largo type Luminaries can be used at Zone 2 and Zone 22, defined at the EN 60079-10-1 and 60079-10-2 standards.

Technical Specifications:

Types	Power (W)	Length (cm)	Frequency (Hz)	Supply Voltage (V AC)	IP Protection Class
Largo Fluorescent	2x18W	60	50 / 60	220 - 240	IP 65
Largo Fluorescent	2x36W	120			
Largo LED	25W	60			
Largo LED	45W	120			

(17) Essential Health and Safety Requirements:

17.1 This certificate is in the contents of standards that mentioned in item [9]. It has been accepted that Largo Type, Exproof Luminaries are manufactured according to the producer instructions and the standards mentioned above.

17.2 Information of mounting instruction manual of Largo Type , Exproof Luminaries have been approved 1 page and date 2018.

(18) List of Documentation :
- Largo Type , Exproof Luminaries user manual [1 page, dated 2018]
- IP Test Report / Reports No: 1805100850 - 1805100852 / 25.05.2018
- Drawings:

Drawing Nr:	Drawing Name:	Date:
018-007-00	Assembly Drawing	13.03.2018
018-007-01	Glass	13.03.2018
018-007-02	Body	13.03.2018
018-007-03	Cover	13.03.2018

For the validity of analysis type certificate, the parts that are used Largo Type , Exproof Luminaries, are determined in confirmed in the list of equipment page 1, dated 2018.

Responsible Person:
Nurettin Terzioglu
Head of Certification Body

Date of Issue: 31.05.2018

IEP Uluslararası Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyon Ticaret Limited Sirketi
5746/1 Sk. No:9 K:2 Bornova - İZMİR / TURKEY Tel: +90 232 431 1745 – 46 Fax: +90 232 431 1730 E-mail: iep@iep.com.tr Fr: 65
This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, schedule included. You can check accuracy of this document by www.iep.com.tr

Largo LED, Largo T8 Exproof Certified

Pelsan

Notes

Notes

Pelsan

Pelsan

www.pelsan.com.tr
export@pelsan.com.tr

HEAD OFFICE
İmes Sanayi Sitesi A Blok 101 Sokak No: 38 Y. Dudullu / Istanbul / TURKEY
Phone: (+90 850) 460 75 76 **Fax:** (+90 216) 364 60 15

FACTORY
Çerkeşli OSB İmes 5 Cad. 400 Ada 6 Parsel No:12 Dilovası / Izmit / TURKEY
Phone: (+90 850) 460 75 76 **Fax:** (+90 216) 364 60 15

Pelsan Aydınlatma reserves the right to make changes to pricies and products.

INDOOR | OUTDOOR | INDUSTRIAL | LAMBS | COMPONENTS

/PelsanAydinlatma
pelsan-aydinlatma
pelsan aydınlatma
/pelsanaydinlatma
/PelsanLight

12.2018